

Product Datasheet

DOCK1 Antibody NB100-828

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-828

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-828



NB100-828**DOCK1 Antibody**

| Product Information | |
|----------------------------|--|
| Unit Size | 0.1 mg |
| Concentration | 0.5 mg/ml |
| Storage | Store at -20C. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.02% Sodium Azide |
| Isotype | IgG |
| Purity | Immunogen affinity purified |
| Buffer | Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA |


| Product Description | |
|----------------------------|--|
| Host | Goat |
| Gene ID | 1793 |
| Gene Symbol | DOCK1 |
| Species | Human |
| Immunogen | Peptide with sequence C-TTRKQTSVDSGIVQ corresponding to C-Terminus according to NP_001371.1. |

| Product Application Details | |
|------------------------------------|---|
| Applications | Western Blot |
| Recommended Dilutions | Western Blot 3 - 4 ug/ml |
| Application Notes | WB: Approx. 150-200 kDa band observed in A431 lysate. |




Images

Western Blot: DOCK1 Antibody [NB100-828] - Analysis of DOCK1 in A431 lysate using this antibody at 4 ug/ ml. Primary incubated for 12 hour. Detected by western blot using chemiluminescence.



Western Blot: DOCK1 Antibody [NB100-828] - (4ug/ml) of A431 lysate (RIPA buffer, 35ug total protein per lane). Primary incubated for 12 hour. Detected by western blot using chemiluminescence.



Publications

Hasegawa H, Kiyokawa E, Tanaka S et al. DOCK180, a major CRK-binding protein, alters cell morphology upon translocation to the cell membrane. Mol Cell Biol 1996-04-01 [PMID: 8657152]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-828

| | |
|--------------------|--|
| HAF017 | Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)] |
| HAF109 | Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)] |
| NB410-28088-1mg | Goat IgG Isotype Control |
| H00001793-P01-10ug | Recombinant Human DOCK1 GST (N-Term) Protein |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-828

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



