

Product Datasheet

ELMO2 Antibody NB100-879

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 5

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-879

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-879



NB100-879

ELMO2 Antibody

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA


Product Description	
Description	Novus Biologicals Goat ELMO2 Antibody (NB100-879) is a polyclonal antibody validated for use in IHC, WB, ELISA and ICC/IF. Anti-ELMO2 Antibody: Cited in 5 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	63916
Gene Symbol	ELMO2
Species	Human
Specificity/Sensitivity	NP_877496.1 and NP_573403.1 are variants that encode the same protein.
Immunogen	Peptide with sequence C-PKEPSSYDFVYHYG corresponding to C-Terminus according to NP_877496.1, NP_573403.1.

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Peptide ELISA
Recommended Dilutions	Western Blot 1 - 3 ug/ml, Immunohistochemistry 3 - 6 ug/ml, Immunocytochemistry/ Immunofluorescence 1:10 - 1:500, Immunohistochemistry-Paraffin 3 - 6 ug/ml, Peptide ELISA Detection limit 1:32000
Application Notes	WB: Approx. 80 kDa band observed in human brain lysate. IHC-P: Human prostate shows pixulated staining in the cytoplasm of stroma cells.




Images

Western Blot: ELMO2 Antibody [NB100-879] - Analysis of ELMO in Human Brain lysate (RIPA buffer, 30ug total protein per lane). Primary incubated for 12 hour. Detected by western blot using chemiluminescence.



Immunohistochemistry-Paraffin: ELMO2 Antibody [NB100-879] - Staining of Human Prostate. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Publications

Hernandez-Vasquez MN, Adame-Garcia SR, Hamoud N et al. Cell adhesion controlled by adhesion G-protein coupled receptor GPR124/ADGRA2 is mediated by a protein complex comprising Intersectins and Elmo/Dock. J. Biol. Chem. 2017-06-09 [PMID: 28600358]

Gumienny TL, Brugnera E, Tosello-Tramont AC et al. CED-12/ELMO, a novel member of the CrkII/Dock180/Rac pathway, is required for phagocytosis and cell migration. Cell 2001-10-05 [PMID: 11595183]

Abu-Thuraia A, Gauthier R, Chidiac R et al. Axl phosphorylates Elmo scaffold proteins to promote Rac activation and cell invasion. Mol. Cell. Biol. 2014-10-20 [PMID: 25332238] (WB, Human)

Ho E, Dagnino L. Epidermal growth factor induction of front-rear polarity and migration in keratinocytes is mediated by integrin-linked kinase and ELMO2. Mol Biol Cell. 2012-02-01 [PMID: 22160594]

Margaron Y, Fradet N, Cote JF. ELMO recruits Actin Crosslinking Family 7 (ACF7) at the cell membrane for microtubule capture and stabilization of cellular protrusions J Biol Chem 2012-11-26 [PMID: 23184944] (ICC/IF, Human)

 **NOVUS**
BIOLOGICALS®
a **biotechne**® brand



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112

USA

Phone: 303.730.1950

Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400

Toll Free: 855.668.8722

Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane

Abingdon Science Park

Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15

Fax: (44) (0) 1235 533420

info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-879

NBL1-10239	ELMO1 Overexpression Lysate
NB100-879PEP	ELMO2 Peptide
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-879

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

