# **Product Datasheet**

# IRAK3 Antibody NB100-96912

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-96912

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-96912



## NB100-96912

**IRAK3** Antibody


Product Information       Unit Size     0.1 mg       Concentration     0.5 mg/ml       Storage     Store at -20C. Avoid freeze-thaw cycles.       Clonality     Polyclonal       Preservative     0.02% Sodium Azide       Isotype     IgG       Purity     Immunogen affinity purified       Buffer     Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA       Product Description       Host     Goat       Gene ID     11213       Gene Symbol     IRAK3       Species     Mouse, Rat       Immunogen     Peptide with sequence C-GHSYGSKPMEKR corresponding to internal region (near C-Terminus) according to NP_082955.2.       Product Application Details       Applications     Western Blot, Peptide ELISA       Recommended Dilutions     Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000       Application Notes     WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in lysates from the knock-out mouse.	INANO Allibody	
Concentration  Storage  Store at -20C. Avoid freeze-thaw cycles.  Clonality  Polyclonal  Preservative  0.02% Sodium Azide  Isotype  IgG  Purity  Immunogen affinity purified  Buffer  Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA  Product Description  Host  Goat  Gene ID  11213  Gene Symbol  IRAK3  Species  Mouse, Rat  Immunogen  Peptide with sequence C-GHSYGSKPMEKR corresponding to internal region (near C-Terminus) according to NP_082955.2.  Product Application Details  Applications  Western Blot, Peptide ELISA  Recommended Dilutions  Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000  WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Product Information	
Storage Store at -20C. Avoid freeze-thaw cycles.  Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA  Product Description Host Goat Gene ID 11213 Gene Symbol IRAK3 Species Mouse, Rat Immunogen Peptide with sequence C-GHSYGSKPMEKR corresponding to internal region (near C-Terminus) according to NP_082955.2.  Product Application Details Applications Western Blot, Peptide ELISA Recommended Dilutions Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000 Application Notes WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_001101571.1 and 67.8 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Unit Size	0.1 mg
Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA  Product Description Host Goat Gene ID 11213 Gene Symbol IRAK3 Species Mouse, Rat Immunogen Peptide with sequence C-GHSYGSKPMEKR corresponding to internal region (near C-Terminus) according to NP_082955.2.  Product Application Details Applications Western Blot, Peptide ELISA Recommended Dilutions Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000  Application Notes WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Concentration	0.5 mg/ml
Preservative 0.02% Sodium Azide  Isotype IgG  Purity Immunogen affinity purified  Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA  Product Description  Host Goat  Gene ID 11213  Gene Symbol IRAK3  Species Mouse, Rat  Immunogen Peptide with sequence C-GHSYGSKPMEKR corresponding to internal region (near C-Terminus) according to NP_082955.2.  Product Application Details  Applications Western Blot, Peptide ELISA  Recommended Dilutions Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000  Application Notes Western Blot Qiand lysate (calculated MW of 69.0 kDa according to NP_081955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Storage	Store at -20C. Avoid freeze-thaw cycles.
Isotype IgG Purity Immunogen affinity purified Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA  Product Description Host Goat Gene ID 11213 Gene Symbol IRAK3 Species Mouse, Rat Immunogen Peptide with sequence C-GHSYGSKPMEKR corresponding to internal region (near C-Terminus) according to NP_082955.2.  Product Application Details Applications Western Blot, Peptide ELISA Recommended Dilutions Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000 Application Notes WB: Approx 65-70 kDa band observed in Rat Liver Iysates, and in preliminary testing of Rat Adrenal Gland Iysate (calculated MW of 69.0 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow Iysates but this band disappears in	Clonality	Polyclonal
Purity Immunogen affinity purified  Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA  Product Description  Host Goat  Gene ID 11213  Gene Symbol IRAK3  Species Mouse, Rat  Immunogen Peptide with sequence C-GHSYGSKPMEKR corresponding to internal region (near C-Terminus) according to NP_082955.2.  Product Application Details  Applications Western Blot, Peptide ELISA  Recommended Dilutions Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000  Application Notes WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_001101571.1 and 67.8 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Preservative	0.02% Sodium Azide
Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA  Product Description Host Goat Gene ID 11213 Gene Symbol IRAK3 Species Mouse, Rat Immunogen Peptide with sequence C-GHSYGSKPMEKR corresponding to internal region (near C-Terminus) according to NP_082955.2.  Product Application Details Applications Western Blot, Peptide ELISA Recommended Dilutions Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000 Application Notes WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_001101571.1 and 67.8 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Isotype	IgG
Product Description  Host Goat  Gene ID 11213  Gene Symbol IRAK3  Species Mouse, Rat  Immunogen Peptide with sequence C-GHSYGSKPMEKR corresponding to internal region (near C-Terminus) according to NP_082955.2.  Product Application Details  Applications Western Blot, Peptide ELISA  Recommended Dilutions Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000  Application Notes Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000  WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_001101571.1 and 67.8 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Purity	Immunogen affinity purified
Host Gene ID  11213  Gene Symbol IRAK3  Species Mouse, Rat Immunogen Peptide with sequence C-GHSYGSKPMEKR corresponding to internal region (near C-Terminus) according to NP_082955.2.  Product Application Details Applications Western Blot, Peptide ELISA Recommended Dilutions Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000  Application Notes WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_001101571.1 and 67.8 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Gene Symbol IRAK3 Species Mouse, Rat Immunogen Peptide with sequence C-GHSYGSKPMEKR corresponding to internal region (near C-Terminus) according to NP_082955.2.  Product Application Details Applications Western Blot, Peptide ELISA Recommended Dilutions Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000  Application Notes WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_001101571.1 and 67.8 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Product Description	
Gene Symbol IRAK3 Species Mouse, Rat Immunogen Peptide with sequence C-GHSYGSKPMEKR corresponding to internal region (near C-Terminus) according to NP_082955.2.  Product Application Details Applications Western Blot, Peptide ELISA Recommended Dilutions Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000  Application Notes WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_001101571.1 and 67.8 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Host	Goat
Species  Mouse, Rat  Peptide with sequence C-GHSYGSKPMEKR corresponding to internal region (near C-Terminus) according to NP_082955.2.  Product Application Details  Applications  Western Blot, Peptide ELISA  Recommended Dilutions  Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000  WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_001101571.1 and 67.8 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Gene ID	11213
Immunogen  Peptide with sequence C-GHSYGSKPMEKR corresponding to internal region (near C-Terminus) according to NP_082955.2.  Product Application Details  Applications  Western Blot, Peptide ELISA  Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000  WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_001101571.1 and 67.8 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Gene Symbol	IRAK3
(near C-Terminus) according to NP_082955.2.  Product Application Details  Applications  Western Blot, Peptide ELISA  Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000  WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_001101571.1 and 67.8 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Species	Mouse, Rat
Applications  Western Blot, Peptide ELISA  Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000  WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_001101571.1 and 67.8 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Immunogen	
Recommended Dilutions  Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000  WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_001101571.1 and 67.8 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Product Application Details	
Application Notes  WB: Approx 65-70 kDa band observed in Rat Liver lysates, and in preliminary testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_001101571.1 and 67.8 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Applications	Western Blot, Peptide ELISA
testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_001101571.1 and 67.8 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in	Recommended Dilutions	Western Blot 0.03 - 0.1 ug/ml, Peptide ELISA Detection limit 1:64000
	Application Notes	testing of Rat Adrenal Gland lysate (calculated MW of 69.0 kDa according to NP_001101571.1 and 67.8 kDa according to NP_082955.2). An approx. 70 kDa band is observed in mouse bone marrow lysates but this band disappears in



# Images Western Blot: IRAK3 Antibody [NB100-96912] - Staining (0.1ug/ml) of Rat Liver lysate (35ug protein in RIPA buffer). Detected with chemiluminescence.



Western Blot: IRAK3 Antibody [NB100-96912] - (0.5ug/ml) staining of Mouse Bone Marrow (wildtype first lane, KO second lane) lysates (35ug protein in RIPA buffer). Primary incubation was overnight at 4C Detected with chemiluminescence. Data obtained from anonymous customer.



#### **Publications**

Balaci L, Spada MC, Olla N et al. IRAK-M is involved in the pathogenesis of early-onset persistent asthma. Am J Hum Genet 2007-06-01 [PMID: 17503328]





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NB100-96912**

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

H00011213-P01-10ug Recombinant Human IRAK3 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-96912

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



