Product Datasheet

HIST1H3A [p Ser10] Antibody NB100-97852

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB100-97852

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB100-97852



NB100-97852

HIST1H3A [p Ser10] Antibody

HIST H3A [p Ser10] Antibody	
Product Information	
Unit Size	0.1 ml
Concentration	0.2 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	TBS and 0.1% BSA
Product Description	
Host	Rabbit
Gene ID	8350
Gene Symbol	H3C1
Species	Human, Mouse
Reactivity Notes	D. melanogaster, Orangutan (100%).
Immunogen	Immunogen for A301-844A wthis antibody a synthetic phosphorylated peptide, which represented a portion of human Histone H3 surrounding serine 10 according to the numbering given in entry NP_003520.1 (GeneID 8350).
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:5000-1:10000, Flow Cytometry 0.4 ug , Immunohistochemistry 1:2000 - 1:10000, Immunocytochemistry/ Immunofluorescence 1:2000 - 1:10000, Immunohistochemistry-Paraffin 1:2000 - 1:10000
Application Notes	Flow Cytometry 0.4 ug per 1 million cells in a 150 mcl reaction. Immunofluorescence (ICC) 1:2,000 - 1:10,000. Formaldehyde fixation and permeabilization with Triton-X 100 is recommended. Acetone fixation may adversely effect staining. Immunohistochemistry 1:2,000 - 1:10,000. Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections.



Images


Western Blot: HIST1H3A [p Ser10] Antibody [NB100-97852] - Detection of Phospho Human Histone H3 (pS10) by Western Blot. A549, HeLa, K562, and Jurkat cell lines were stimulated with 0.5 ug/ml of Calyculin A at 37 degrees C, 5% CO2 for 15 minutes. Cells were subsequently lysed and 1 ug of appropriate cell lysates were loaded into respective wells. Western blot was performed using affinity purified rabbit anti-Histone H3 (pS10) antibody NB100-97852 (20 ng/ml) and affinity purified rabbit anti-Histone H3 antibody (1 ug/ml; Western blots were developed utilizing chemiluminescence with an exposure time of 30 seconds.

Histone H3 (pS10)

Histone H3 (Total)

A549 HeLa K562 Jurkat
- + - + - + - + 0.5µg/ml Calyculin A


Immunocytochemistry/Immunofluorescence: HIST1H3A [p Ser10] Antibody [NB100-97852] - NBF-fixed asynchronous HeLa cells. Antibody used at a dilution of 1:2,500.



Immunohistochemistry-Paraffin: HIST1H3A [p Ser10] Antibody [NB100-97852] - Section of human colon carcinoma (left) and mouse squamous cell carcinoma (right). Antibody: Affinity purified rabbit anti-Phospho Histone H3 (S10) used at a dilution of 1:2,500 (0.08 ug/ml). Detection: DAB



Flow Cytometry: HIST1H3A [p Ser10] Antibody [NB100-97852] - Detection of phospho Histone H3 Ser10. Asynchronous Jurkat cells were fixed in 1.5% PFA and permeabilized in 90% methanol. 1 million cells were stained with 0.4 ug anti-phospho Histone H3 (S10) NB100-97852 in a 150 ul reaction.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB100-97852

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-06572 HIST2H3C Overexpression Lysate

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-97852

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

