Product Datasheet

STIM1 Antibody (CDN3H4) - BSA Free NB110-55300

Unit Size: 0.1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB110-55300

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB110-55300



NB110-55300


STIM1 Antibody (CDN3H4) - BSA Free

STIM1 Antibody (CDN3H4) - BSA Free	
Product Information	
Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	CDN3H4
Preservative	0.9% Sodium Azide
Isotype	IgG1
Purity	Protein A purified
Buffer	PBS (pH 7.4)
Target Molecular Weight	84 kDa
Product Description	
Host	Mouse
Gene ID	6786
Gene Symbol	STIM1
Species	Human, Mouse, Rat
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
Specificity/Sensitivity	The antibody CDN3H4 reacts with human and rodent STIM1, a 84 kDa essential and conserved regulator of store-operated Ca2+ channel function.
Immunogen	Synthetized peptide from C-terminal cytoplasmic part of STIM1. (NM_003156.3).
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1 ug/ml, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500, Immunoprecipitation 1:50, Immunohistochemistry-Paraffin 5 ug/ml
Application Notes	Western Blotting - Sample preparation: Resuspend approx. 50 mil. cells in 1 ml cold Lysis buffer (1% laurylmaltoside in 20 mM Tris/Cl, 100 mM NaCl pH 8.2, 50 mM NaF including Protease inhibitor Cocktail). Incubate 60 min on ice. Centrifuge to remove cell debris. Mix lysate with non-reducing/reducing Laemmli SDS-PAGE sample buffer. Both reducing and non-reducing conditions. Immunocytochemistry - Staining technique: methanol-aceton fixation




Images

Western Blot: STIM1 Antibody (CDN3H4) [NB110-55300] - (non-reducing conditions) of whole cell lysate of RBL rat basophilic leukemia cell line. Lane 1: immunostaining with anti-STIM1 (CDN3H4) Lane 2: immunostaining with Isotype mouse IgG1 control (PPV-06)



Immunocytochemistry/Immunofluorescence: STIM1 Antibody (CDN3H4) [NB110-55300] - Staining of HeLa human cervix carcinoma cell line using anti-STIM1 (CDN3H4; methanol-aceton fixation; detection by Goat anti-mouse IgG1 Alexa Fluor(R) 598; red). Nuclei were stained with DAPI (blue).



Publications

Hajkova Z, Bugajev V, Draberova E et al. STIM1-directed reorganization of microtubules in activated mast cells. J Immunol. 2011-01-01 [PMID: 21160048]

Prakash,YS et al. Caveolins intracellular calcium regulation in human airway smooth muscle. Am J Physiol Lung Cell Mol Physiol 293(5):L1118-26. 2007-11-01 [PMID: 17704188]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB110-55300

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NB110-55300UV STIM1 Antibody (CDN3H4) [DyLight 350]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB110-55300

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

