# **Product Datasheet**

# Lactoperoxidase Antibody - BSA Free NB110-61572

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB110-61572

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB110-61572



## NB110-61572

Lactoperoxidase Antibody - BSA Free


Lactoperoxidase Antibody - BSA Free		
Product Information		
Unit Size	0.1 ml	
Concentration	1.7 mg/ml	
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Clonality	Polyclonal	
Preservative	0.1% Sodium Azide	
Isotype	IgG	
Purity	Immunogen affinity purified	
Buffer	PBS and 30% Glycerol	
Target Molecular Weight	100 kDa	
Product Description		
Host	Rabbit	

Product Description	
Host	Rabbit
Gene ID	4025
Gene Symbol	LPO
Species	Human, Bovine, Primate
Reactivity Notes	Immunogen displays the following percentage of sequence identity for non-tested species: Sheep (81%).
Immunogen	Synthetic peptide made to an internal portion of the human Lactoperoxidase protein (within residues 300-400). [Swiss-Prot# P22079]

<b>Product Application Details</b>	
Applications	Western Blot
Recommended Dilutions	Western Blot 0.5-2 ug/ml
Application Notes	This Lactoperoxidase antibody is useful for Western blot analysis where a band is seen at ~100 kDa. Caution, do not use milk for the blocking or dilution buffers. The observed molecular weight of the protein may vary from the listed predicted molecular weight due to post translational modifications, post translation cleavages, relative charges, and other experimental factors.



Western Blot: Lactoperoxidase Antibody [NB110-61572] - Detection of LPO in MDA-MB231 cell lysate using NB110-61572.





#### **Procedures**

#### Serum protocol for Lactoperoxidase Antibody (NB110-61572)

Lactoperoxidase Antibody:

Western Blot Protocol

- 1. Perform SDS-PAGE (4-12% MOPS) on samples to be analyzed, loading 38 ug of total protein per lane.
- 2. Transfer proteins to Nitrocellulose according to the instructions provided by the manufacturer of the transfer apparatus.
- 3. Rinse membrane with dH2O and then stain the blot using Ponceau S for 1-2 minutes to access the transfer of proteins onto the nitrocellulose membrane. Rinse the blot in water to remove excess stain and mark the lane locations and locations of molecular weight markers using a pencil.
- 4. Rinse the blot in TBS for approximately 5 minutes.
- 5. Block the membrane using 5% BSA in TBS + Tween, 1 hour at RT.
- 6. Rinse the membrane in dH2O and then wash the membrane in wash buffer [TBS + 0.1% Tween] 3 times for 10 minutes each.
- 7. Dilute the rabbit anti-LPO primary antibody (NB 110-61572) in blocking buffer and incubate 1 hour at room temperature.
- 8. Rinse the membrane in dH2O and then wash the membrane in wash buffer [TBS + 0.1% Tween] 3 times for 10 minutes each.
- 9. Apply the diluted rabbit-IgG HRP-conjugated secondary antibody in blocking buffer (as per manufacturers instructions) and incubate 1 hour at room temperature.
- 10. Wash the blot in wash buffer [TBS + 0.1% Tween] 3 times for 10 minutes each (this step can be repeated as required to reduce background).
- 11. Apply the detection reagent of choice in accordance with the manufacturers instructions (Pierce ECL).

Note: Tween-20 can be added to the blocking or antibody dilution buffer at a final concentration of 0.05-0.2%, provided it does not interfere with antibody-antigen binding.





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NB110-61572**

NB800-PC1 HeLa Whole Cell Lysate

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB110-61572

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

