Product Datasheet

CD11b Antibody [CoraFluor™ 1] NB110-89474CL1

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB110-89474CL1

Updated 10/22/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB110-89474CL1



NB110-89474CL1

CD11b Antibody [CoraFluor™ 1]

Unit Size 0.1 ml Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Do not freeze. Clonality Polyclonal Preservative No Preservative Isotype IgG Conjugate CoraFluor 1 Purity Immunogen affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 abasorb UV lipt at approximately 340 nm, ad emis at approximately 340 nm, 345 nm and 620 nm, 1t is compatible with common acceptor dyes that abasch at the emission wavelengths of CoraFluor(IM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, temary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene D 3684 Gene Symbol ITGAM Species Human, Mouse reported in scientific literature (PMID:35398596).Monkey reactivity reported in scientific literature (PMID:24320). Rhesus Macaque reactivity reported in scientific literature (PMID:24320). Rhesus Macaque reactivity reported in scientific literature (PMID:243420). Rhesus Macaque reactivity reported in scientific literature (PMID:2434320). Rhesus Macaque reactivity reported in scientific literature (PM	Product Information		
services. Storage Store at 4C in the dark. Do not freeze. Storage Store at 4C in the dark. Do not freeze. Cionality Polycional Preservative No Preservative Isotype IgG Conjugate CoraFluor 1 Purity Immunogen affinity purified Buffer PS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbed V40 on m. at emproximately 430 on m. at emproximately 430 on m. at a performance terbium-based TR-FRET forme-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET forming assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene ID 3684 Gene Symbol TGGM Species Human, Mouse, Rat, Bovine, C. elegans, Chinese Harnster, Monkey, Rhesus Macaque reactivity reported in scientific literature (PMID: 35398596), Monkey reactivity reported in scientific literature (PMID: 35398596),	Unit Size	0.1 ml	
Clonality Polyclonal Preservative No Preservative Isotype IgG Conjugate CoraFluor 1 Purity Immunogen affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and entils at approximately 440 nm, 545 nm, 585 nm and 620 nm. It is compatible with commo acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1 care Lour(IM) 1 absorbs UV light at approximately of CoraFluor(TM) 1. CoraFluor(IM) 1. absorbs UV light at approximately of CoraFluor(TM) 1. CoraFluor(IM) 1. CoraFluor(IM) 1. absorbs at the emission wavelengths of CoraFluor(TM) 1.	Concentration	·	
Preservative No Preservative Isotype IgG Conjugate CoraFluor 1 Purity Immunogen affinity purified Buffer PBS Product Description EcoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Allow one for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 440 nm, 545 nm, 585 nm and 620 nm. It is compatible with common coraFluor(IM) 1 can be used for the development or boust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene ID 3684 Gene Symbol ITGAM Species Human, Mouse, Rat, Bovine, C. elegans, Chinese Hamster, Monkey, Rhesus Macaque Reactivity Notes Use in Mouse reported in scientific literature (PMID:35398596).Monkey reactivity reported in scientific literature (PMID:325398596).Monkey reactivity reported in scientific literature (PMID: 2643420). Rhesus Macaque reactivity reported in scientific literature (PMID: 2643420). Rhesus Macaque reactivity reported in scientific literature (PMID: 2543420). Rhesus Macaque reactivity reported in scientific literature (PMID: 2543420). Rhesus Macaque reactivity reported in scientific literature (PMID: 2543250). Monkey reactivity reported in scientific literature (PMID: 2543250). Monkey reactivity reported in scientific literature (PMID: 2543250). Monkes reported in scientific literature (PMID: 2543250). Monkey r	Storage	Store at 4C in the dark. Do not freeze.	
Isotype IgG Conjugate CoraFluor 1 Purity Immunogen affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 385 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene ID 3684 Gene Symbol ITGAM Species Human, Mouse, Rat, Bovine, C. elegans, Chinese Hamster, Monkey, Rhesus Macaque Reactivity Notes Use in Mouse reported in scientific literature (PMID: 25398596).Monkey reactivity reported in scientific literature (PMID: 25760177). Use in C. elegans reported in scientific literature (PMID: 20539852). Marker Microglia Marker, Myeloid Marker Immunogen Rabbit Polyclonal CD11b Antibody was made to a synthetic peptide within residues 250-350 of the mouse CD11b protein. [Swiss-Prott# P05555] Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 222/0025254	Clonality	Polyclonal	
Conjugate CoraFluor 1 Purity Immunogen affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene ID 3684 Gene Symbol ITGAM Species Human, Mouse, Rat, Bovine, C. elegans, Chinese Hamster, Monkey, Rhesus Macaque Reactivity Notes Use in Mouse reported in scientific literature (PMID:35398596).Monkey reactivity reported in scientific literature (PMID:26443820). Rhesus Macaque reactivity reported in scientific literature (PMID:26443820). Rhesus Macaque reactivity reported in scientific literature (PMID:32058942). Marker Microglia Marker, Myeloid Marker Immunogen Rabbit Polycohal CD11b Antibody was made to a synthetic peptide within residues 250-350 of the mouse CD11b protein. [Swiss-Prot# P05555] Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under a	Preservative	No Preservative	
Purity Immunogen affinity purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, S45 nm, S85 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET blinding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene ID 3684 Gene Symbol ITGAM Species Human, Mouse, Rat, Bovine, C. elegans, Chinese Hamster, Monkey, Rhesus Macaque Reactivity Notes Use in Mouse reported in scientific literature (PMID:35398596).Monkey reactivity reported in scientific literature (PMID:25443820). Rhesus Macaque reactivity reported in scientific literature (PMID:32058942). Marker Microglia Marker, Myeloid Marker Immunogen Rabit Polyclonal CD11b Antibody was made to a synthetic peptide within residues 250-350 of the mouse CD11b protein. [Swiss-Prot# P0555] Notes CoraFluor(TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Wes	Isotype	IgG	
Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 absorbs UV light at approximately 540 nm, 645 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 absorbs UV light at approximately 430 nm, and emits at approximately 430 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 conaFluor(TM) 1 co	Conjugate	CoraFluor 1	
Product Description Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene ID 3684 Gene Symbol ITGAM Species Human, Mouse, Rat, Bovine, C. elegans, Chinese Hamster, Monkey, Rhesus Macaque Reactivity Notes Use in Mouse reported in scientific literature (PMID:25398596).Monkey reactivity reported in scientific literature (PMID:26443820). Rhesus Macaque reactivity reported in scientific literature (PMID:26443820). Rhesus Macaque reactivity reported in scientific literature (PMID:26443820). Rhesus Macaque reactivity reported in scientific literature (PMID:2058942). Marker Microglia Marker, Myeloid Marker Immunogen Rabbit Polyclonal CD11b Antibody was made to a synthetic peptide within residues 250-350 of the mouse CD11b protein. [Swiss-Prot# P05555] Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254	Purity	Immunogen affinity purified	
Description CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. coraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays. Host Rabbit Gene ID 3684 Gene Symbol ITGAM Species Human, Mouse, Rat, Bovine, C. elegans, Chinese Hamster, Monkey, Rhesus Macaque Reactivity Notes Use in Mouse reported in scientific literature (PMID:35398596).Monkey reactivity reported in scientific literature (PMID: 26443820). Rhesus Macaque reactivity reported in scientific literature (PMID:32058942). Marker Microglia Marker, Myeloid Marker Immunogen Rabbit Polyclonal CD11b Antibody was made to a synthetic peptide within residues 250-350 of the mouse CD11b protein. [Swiss-Prot# P05555] Notes CoraFluor(TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Western Blot, Simple Western, Flow Cytometry, Flow (Cell Surface), Immunohistochemistry-Frozen, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistoche	Buffer	PBS	
Fluorescence Resonance Energy Transfer) or TRF (Time-Resolvéd Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1. Can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.HostRabbitGene ID3684Gene SymbolITGAMSpeciesHuman, Mouse, Rat, Bovine, C. elegans, Chinese Hamster, Monkey, Rhesus MacaqueReactivity NotesUse in Mouse reported in scientific literature (PMID:35398596). Monkey reactivity reported in scientific literature (PMID:2443820). Rhesus Macaque reactivity reported in scientific literature (PMID:2506942).MarkerMicroglia Marker, Myeloid MarkerImmunogenRabbit Polyclonal CD11b Antibody was made to a synthetic peptide within residues 250-350 of the mouse CD11b protein. [Swiss-Prot# P05555]NotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 220/2025254Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Flow (Cell Surface), Immunohistochemistry-Frozen, Immunohistochemistry, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immuno	Product Description		
Gene ID 3684 Gene Symbol ITGAM Species Human, Mouse, Rat, Bovine, C. elegans, Chinese Hamster, Monkey, Rhesus Macaque Reactivity Notes Use in Mouse reported in scientific literature (PMID: 25443820). Rhesus Macaque reactivity reported in scientific literature (PMID: 29760177). Use in C. elegans reported in scientific literature (PMID: 29760177). Use in C. elegans reported in scientific literature (PMID: 29760177). Use in C. elegans reported in scientific literature (PMID: 32058942). Marker Microglia Marker, Myeloid Marker Immunogen Rabbit Polyclonal CD11b Antibody was made to a synthetic peptide within residues 250-350 of the mouse CD11b protein. [Swiss-Prot# P05555] Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Western Blot, Simple Western, Flow Cytometry, Flow (Cell Surface), Immunohistochemistry, Immunohistochemist	Description	Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(IM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and	
Gene SymbolITGAMSpeciesHuman, Mouse, Rat, Bovine, C. elegans, Chinese Hamster, Monkey, Rhesus MacaqueReactivity NotesUse in Mouse reported in scientific literature (PMID: 35398596).Monkey reactivity reported in scientific literature (PMID: 26443820). Rhesus Macaque reactivity reported in scientific literature (PMID: 29760177). Use in C. elegans reported in scientific literature (PMID: 29760177). Use in C. elegans reported in scientific literature (PMID: 2058942).MarkerMicroglia Marker, Myeloid MarkerImmunogenRabbit Polyclonal CD11b Antibody was made to a synthetic peptide within residues 250-350 of the mouse CD11b protein. [Swiss-Prot# P05555]NotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Flow (Cell Surface), Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry, Paraffin, In-situ Hybridization, Dual RNAscope ISH-IHC, Single Cell WesternRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Inmunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry-Forzen, In-situ Hybridization, Flow (Cell Surface), Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, In-situ Hybridization, Flow (Cell Surface), Immunohistochemistry-Forzen, In-situ Hybridization, Flow (Cell Surface), Immunohistochemistry-Frozen, In-situ Hybridization, Flow (Cell Surface), Single Cell Western, Dual RNAscope ISH-IHC	Host	Rabbit	
SpeciesHuman, Mouse, Rat, Bovine, C. elegans, Chinese Hamster, Monkey, Rhesus MacaqueReactivity NotesUse in Mouse reported in scientific literature (PMID:35398596). Monkey reactivity reported in scientific literature (PMID: 26443820). Rhesus Macaque reactivity reported in scientific literature (PMID: 29760177). Use in C. elegans reported in scientific literature (PMID:32058942).MarkerMicroglia Marker, Myeloid MarkerImmunogenRabbit Polyclonal CD11b Antibody was made to a synthetic peptide within residues 250-350 of the mouse CD11b protein. [Swiss-Prot# P05555]NotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Flow (Cell Surface), Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, In-situ Hybridization, Dual RNAscope ISH-IHC, Single Cell WesternRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immun	Gene ID	3684	
MacaqueReactivity NotesUse in Mouse reported in scientific literature (PMID:35398596).Monkey reactivity reported in scientific literature (PMID: 26443820). Rhesus Macaque reactivity reported in scientific literature (PMID: 29760177). Use in C. elegans reported in scientific literature (PMID:32058942).MarkerMicroglia Marker, Myeloid MarkerImmunogenRabbit Polyclonal CD11b Antibody was made to a synthetic peptide within residues 250-350 of the mouse CD11b protein. [Swiss-Prot# P05555]NotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Flow (Cell Surface), Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry, Paraffin, In-situ Hybridization, Dual RNAscope ISH-IHC, Single Cell Western, Flow (Cell Surface), Single Cell Western, Immunohistochemistry-Frozen, Insitu Hybridization, Flow (Cell Surface), Single Cell Western, Dual RNAscope ISH-IHC	Gene Symbol	ITGAM	
reported in scientific literature (PMID: 26443820). Rhesus Macaque reactivity reported in scientific literature (PMID: 29760177). Use in C. elegans reported in scientific literature (PMID: 32058942).MarkerMicroglia Marker, Myeloid MarkerImmunogenRabbit Polyclonal CD11b Antibody was made to a synthetic peptide within residues 250-350 of the mouse CD11b protein. [Swiss-Prot# P05555]NotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Flow (Cell Surface), Immunohistochemistry-Immunohistochemistry-Paraffin, In-situ Hybridization, Dual RNAscope ISH-IHC, Single Cell WesternRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry-Paraffin, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Inmunohistochemistry-Paraffin, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunohistochemistry-Paraffin, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, In-situ Hybridization, Flow (Cell Surface), Single Cell Western, Dual RNAscope ISH-IHC	Species		
ImmunogenRabbit Polyclonal CD11b Antibody was made to a synthetic peptide within residues 250-350 of the mouse CD11b protein. [Swiss-Prot# P05555]NotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Flow (Cell Surface), Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, In-situ Hybridization, Dual RNAscope ISH-IHC, Single Cell WesternRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, In-situ Hybridization, Flow (Cell Surface), Single Cell Western, Dual RNAscope ISH-IHC	Reactivity Notes	reported in scientific literature (PMID: 26443820). Rhesus Macaque reactivity reported in scientific literature (PMID: 29760177). Use in C. elegans reported in	
residues 250-350 of the mouse CD11b protein. [Swiss-Prot# P05555]NotesCoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254Product Application DetailsWestern Blot, Simple Western, Flow Cytometry, Flow (Cell Surface), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, In-situ Hybridization, Dual RNAscope ISH-IHC, Single Cell WesternRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, In-situ Hybridization, Dual RNAscope ISH-IHC, Single Cell Western	Marker	Microglia Marker, Myeloid Marker	
only under agreement from Massachusetts General Hospital. US patent 2022/0025254 Product Application Details Applications Western Blot, Simple Western, Flow Cytometry, Flow (Cell Surface), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, In-situ Hybridization, Dual RNAscope ISH-IHC, Single Cell Western Recommended Dilutions Western Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Frozen, In-situ Hybridization, Flow (Cell Surface), Single Cell Western, Dual RNAscope ISH-IHC	Immunogen		
ApplicationsWestern Blot, Simple Western, Flow Cytometry, Flow (Cell Surface), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, In-situ Hybridization, Dual RNAscope ISH-IHC, Single Cell WesternRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, In-situ Hybridization, Flow (Cell Surface), Single Cell Western, Dual RNAscope ISH-IHC	Notes	only under agreement from Massachusetts General Hospital. US patent	
Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, In-situ Hybridization, Dual RNAscope ISH-IHC, Single Cell WesternRecommended DilutionsWestern Blot, Simple Western, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, In-situ Hybridization, Flow (Cell Surface), Single Cell Western, Dual RNAscope ISH-IHC	Product Application Details		
Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, In-situ Hybridization, Flow (Cell Surface), Single Cell Western, Dual RNAscope ISH-IHC	Applications	Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, In-situ	
Application NotesOptimal dilution of this antibody should be experimentally determined.	Recommended Dilutions	Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, In-situ Hybridization, Flow (Cell Surface), Single Cell Western, Dual RNAscope ISH-IHC	
	Application Notes	Optimal dilution of this antibody should be experimentally determined.	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inguires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB110-89474CL1

NB110-89474PEP	CD11b Antibody Blocking Peptide
210-TA-005	TNF-alpha [Unconjugated]
H00003684-Q01-10ug	Recombinant Human CD11b GST (N-Term) Protein
M6000B-1	IL-6 [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB110-89474CL1

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com



www.novusbio.com



technical@novusbio.com