

Product Datasheet

CD45 Antibody (5C16) - Azide and BSA Free NB110-93609-0.025mg

Unit Size: 0.025 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 7

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB110-93609

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB110-93609



NB110-93609-0.025mg

CD45 Antibody (5C16) - Azide and BSA Free

Product Information	
Unit Size	0.025 mg
Concentration	LYOPH mg/ml
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	5C16
Preservative	No Preservative
Reconstitution Instructions	Reconstitute with sterilized PBS to a final concentration of 0.4 mg/ml.
Isotype	IgG2
Purity	Protein A or G purified
Buffer	Lyophilized from a 0.2 um filtered solution in PBS. 0.025 mg size is provided in liquid form, PBS
Target Molecular Weight	145 kDa


Product Description	
Host	Rat
Gene ID	5788
Gene Symbol	PTPRC
Species	Mouse
Immunogen	This CD45 Antibody (5C16) was prepared from Cell lysates of mouse leukocytes.

Product Application Details	
Applications	Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500, Immunoprecipitation 1:100, Immunohistochemistry-Paraffin 1:100-1:400




Images


Immunohistochemistry-Paraffin: CD45 Antibody (5C16) [NB110-93609] - Correlation of MAP17 expression with inflammation (CD45) in human samples of tumors of different origin. MAP17 and CD45 staining of serial sections of human samples of tumors of different origin. MAP17 staining in all samples showed high expression levels, correlated with the inflammatory marker CD45. Image collected and cropped by CiteAb from the following publication (<http://www.oncotarget.com/fulltext/21651>) licensed under a CC-BY license.



Immunohistochemistry: CD45 Antibody (5C16) [NB110-93609] - CD45 antibody (5C16) [NB110-93609] immunohistochemistry staining of paraffin sections of mouse kidney and liver tissues from LPS exposed animals.



Immunohistochemistry: CD45 Antibody (5C16) - Azide and BSA Free [NB110-93609] - Correlation of MAP17 expression with inflammation in human samples of Crohn's disease & psoriasis. MAP17, CD45 & CD68 staining of histological slides of human samples of psoriasis & Crohn's disease. MAP17 staining in both inflammatory diseases showed high expression levels, correlated with the inflammatory markers CD45 & CD68. Image collected & cropped by CiteAb from the following publication (<https://pubmed.ncbi.nlm.nih.gov/29228712>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



Publications

Girolamo F, Errede M et al. Defining the role of NG2-expressing cells in experimental models of multiple sclerosis. A biofunctional analysis of the neurovascular unit in wild type and NG2 null mice. PLoS One 2019-03-15 [PMID: 30870435] (IF/IHC, Mouse)

BUchel G, Schulte JH, Harrison L et al. Immune response modulation by Galectin-1 in a transgenic model of neuroblastoma Oncoimmunology. 2016-02-17 [PMID: 27467948] (IHC-P, Mouse)

Schattling, B;Engler, JB;Volkman, C;Rothammer, N;Woo, MS;Petersen, M;Winkler, I;Kaufmann, M;Rosenkranz, SC;Fejtova, A;Thomas, U;Bose, A;Bauer, S;Trager, S;Miller, KK;Bruck, W;Duncan, KE;Salinas, G;Soba, P;Gundelfinger, ED;Merkler, D;Friese, MA; Bassoon proteinopathy drives neurodegeneration in multiple sclerosis Nat. Neurosci. 2019-04-22 [PMID: 31011226] (IF/IHC, Mouse)

Cobo I, Martinelli P, Flandez M, Bakiri L. Transcriptional regulation by NR5A2 links differentiation and inflammation in the pancreas. Nature. 2018-02-22 [PMID: 29443959] (Mouse)

Garcia-Heredia JM, Carnero A. The cargo protein MAP17 (PDZK1IP1) regulates the immune microenvironment. Oncotarget 2017-11-17 [PMID: 29228712] (IF/IHC)

Girolamo F, Ferrara G, Strippoli M et al. Cerebral cortex demyelination and oligodendrocyte precursor response to experimental autoimmune encephalomyelitis Neurobiol Dis 2011-09-01 [PMID: 21679768] (ICC/IF, IF/IHC, Mouse)

Errede M, Girolamo F, Ferrara G et al. Blood-Brain Barrier Alterations in the Cerebral Cortex in Experimental Autoimmune Encephalomyelitis J Neuropathol Exp Neurol 2012-10-01 [PMID: 23001217] (ICC/IF, IF/IHC, Mouse)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB110-93609

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

