

# Product Datasheet

## Bassoon Antibody (SAP7F407) - BSA Free NB120-13249

Unit Size: 0.05 mg

Store at -20C. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

**Reviews: 1 Publications: 15**

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NB120-13249](http://www.novusbio.com/NB120-13249)

Updated 2/21/2025 v.20.1

**Earn rewards for product  
reviews and publications.**

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NB120-13249](http://www.novusbio.com/reviews/destination/NB120-13249)



**NB120-13249**

Bassoon Antibody (SAP7F407) - BSA Free

Product Information	
Unit Size	0.05 mg
Concentration	1.0 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	SAP7F407
Preservative	0.09% Sodium Azide
Isotype	IgG2a Kappa
Purity	Protein G purified
Buffer	PBS (pH 7.2) and 50% Glycerol
Target Molecular Weight	400 kDa
Product Description	
Host	Mouse
Gene ID	8927
Gene Symbol	BSN
Species	Human, Mouse, Rat
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
Specificity/Sensitivity	This affinity purified detects an ~400 kDa protein, corresponding to the apparent molecular mass of Bassoon on SDS-PAGE immunoblots, in samples from mouse and rat origins. Additional bands between 97 and 400 kDa may also be detected.
Immunogen	Recombinant rat Bassoon.
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1:500, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:400, Immunoprecipitation 2.5 ug, Immunohistochemistry-Paraffin 1:10-1:500, Immunohistochemistry-Frozen
Application Notes	Additional bands between 97 and 400 kDa are also identified and are reported to be proteolytic degradation products of Bassoon. Optimal dilutions/concentrations should be determined by the end user. Use in Immunohistochemistry-Frozen reported in scientific literature (PMID 28821669).




## Images


Western Blot: Bassoon Antibody (SAP7F407) [NB120-13249] - Rat brain tissue lysate.



Immunocytochemistry/Immunofluorescence: Bassoon Antibody (SAP7F407) [NB120-13249] - Rat Hippocampal Neuron, image courtesy of customer.



Immunohistochemistry: Bassoon Antibody (SAP7F407) [NB120-13249] - Bassoon localization in the rat brain cerebellar molecular layer using Bassoon Monoclonal Antibody.



## Publications

Teo S, Bossio A, Stamatakou E et al. S-acylation of the Wnt receptor Frizzled-5 by zDHHC5 controls its cellular localization and synaptogenic activity in the rodent hippocampus *Developmental cell* 2023-08-04 [PMID: 37557176]

Henneberger C, Bard L, Panatier A et al. LTP Induction Boosts Glutamate Spillover by Driving Withdrawal of Perisynaptic Astroglia *Neuron* 2020-12-09 [PMID: 32976770]

Jones ME, Büchler J, Dufor T et al. A genetic variant of the Wnt receptor LRP6 accelerates synapse degeneration during aging and in Alzheimer's disease *Science advances* 2023-01-13 [PMID: 36638182] (IHC, Mouse)

Izquierdo P, Shiina H, Hirunpattarasilp C Et al. Synapse development is regulated by microglial THIK-1 K<sup>+</sup> channels *Proceedings of the National Academy of Sciences of the United States of America* 2021-10-19 [PMID: 34642249] (IHC-FrFl, Mouse)

Won J, Pankratov Y, Jang MW Et al. Opto-vTrap, an optogenetic trap for reversible inhibition of vesicular release, synaptic transmission, and behavior *Neuron* 2021-11-24 [PMID: 34852235]

Mori Y, Takenaka KI, Fukazawa Y, Takamori S The endosomal Q-SNARE, Syntaxin 7, defines a rapidly replenishing synaptic vesicle recycling pool in hippocampal neurons *Communications biology* 2021-08-18 [PMID: 34408265] (ICC/IF, Mouse)

Banks GT, Guillaumin MCC, Heise I et al. Forward genetics identifies a novel sleep mutant with sleep state inertia and REM sleep deficits *Sci Adv* 2020-08-01 [PMID: 32851175] (ICC/IF, Human)

Liu X, Liu C, Ye J et al. Distribution of Acid Sensing Ion Channels in Axonal Growth Cones and Presynaptic Membrane of Cultured Hippocampal Neurons *Front. Cell. Neurosci.* 2020-07-07 [PMID: 32733209] (ICC/IF, Rat)

Banks GT, Guillaumin MCC, Heise I et al. Aberrant synaptic release underlies sleep/wake transition deficits in a mouse *Vamp2* mutant *bioRxiv* 2020-01-01 (IP, Human)

Heller JP, Odii T, Zheng K, Rusakov DA Imaging tripartite synapses using super-resolution microscopy *Methods* 2019-05-31 [PMID: 31153907] (ICC/IF, Mouse)

Henneberger C, Bard L, Panatier A et al. LTP induction drives remodeling of astroglia to boost glutamate escape from synapses: Supplementary Figures *researchgate.net* 2018-06-17 (IF/IHC, Mouse)

Henneberger C, Bard L, Panatier A et al. LTP induction drives remodeling of astroglia to boost glutamate escape from synapses: Supplementary Figures *researchgate.net* Jun 17 2018 12:00AM (IHC, Rat)

More publications at <http://www.novusbio.com/NB120-13249>





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NB120-13249**

---

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96981-0.5mg	Mouse IgG2a Kappa Isotype Control (M2AK)
DBD00	BDNF [HRP]

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NB120-13249](http://www.novusbio.com/reviews/submit/NB120-13249)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

