Product Datasheet

Claudin-1 Antibody NB120-15098

Unit Size: 0.5 ml

Store at 4C. Do not freeze.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB120-15098

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB120-15098




NB120-15098

Claudin-1 Antibody

Unit Size0.5 mlConcentration0.2 mg/mlStorageStore at 4C. Do not freeze.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGPurityAffinity purifiedBufferPBS (pH 7.4), 0.2% BSA, Tween-20Product Description9076Gene ID9076Gene SymbolCLDN1SpeciesHumanSpecificity/SensitivityClaudin 1ImmunogenSynthetic peptide (Human) (C terminal).Product Application DetailsImmunohistochemistry-Paraffin 1:50-1:100	5	
Concentration0.2 mg/mlStorageStore at 4C. Do not freeze.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGPurityAffinity purifiedBufferPBS (pH 7.4), 0.2% BSA, Tween-20Product DescriptionHostRabbitGene ID9076Gene SymbolCLDN1SpeciesHumanSpeciesHumanSpecificity/SensitivityClaudin 1ImmunogenSynthetic peptide (Human) (C terminal).Product Application DetailsImmunohistochemistry-ParaffinRecommended DilutionsImmunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Product Information	
Storage Store at 4C. Do not freeze. Clonality Polyclonal Preservative 0.05% Sodium Azide Isotype IgG Purity Affinity purified Buffer PBS (pH 7.4), 0.2% BSA, Tween-20 Product Description Rabbit Gene ID 9076 Gene Symbol CLDN1 Species Human Specificity/Sensitivity Claudin 1 Immunogen Synthetic peptide (Human) (C terminal). Product Application Details Immunohistochemistry.Paraffin Applications Immunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100 Application Notes IHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Unit Size	0.5 ml
ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGPurityAffinity purifiedBufferPBS (pH 7.4), 0.2% BSA, Tween-20Product DescriptionPolyclonalHostRabbitGene ID9076Gene SymbolCLDN1SpeciesHumanSpeciesHumanSpecificity/SensitivityClaudin 1ImmunogenSynthetic peptide (Human) (C terminal).Product Application DetailsImmunohistochemistry-ParaffinApplicationsImmunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Concentration	0.2 mg/ml
Preservative0.05% Sodium AzideIsotypeIgGPurityAffinity purifiedBufferPBS (pH 7.4), 0.2% BSA, Tween-20Product DescriptionPBS (pH 7.4), 0.2% BSA, Tween-20HostRabbitGene ID9076Gene SymbolCLDN1SpeciesHumanSpecificity/SensitivityClaudin 1ImmunogenSynthetic peptide (Human) (C terminal).Product Application DetailsImmunohistochemistry.ParaffinRecommended DilutionsImmunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Storage	Store at 4C. Do not freeze.
IsotypeIgGPurityAffinity purifiedBufferPBS (pH 7.4), 0.2% BSA, Tween-20Product DescriptionRabbitHostRabbitGene ID9076Gene SymbolCLDN1SpeciesHumanSpecificity/SensitivityClaudin 1ImmunogenSynthetic peptide (Human) (C terminal).Product Application DetailsImmunohistochemistry. Immunohistochemistry-ParaffinRecommended DilutionsImmunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Clonality	Polyclonal
PurityAffinity purifiedBufferPBS (pH 7.4), 0.2% BSA, Tween-20Product DescriptionProduct DescriptionHostRabbitGene ID9076Gene SymbolCLDN1SpeciesHumanSpecificity/SensitivityClaudin 1ImmunogenSynthetic peptide (Human) (C terminal).Product Application DetailsImmunohistochemistry, Immunohistochemistry-ParaffinApplicationsImmunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Preservative	0.05% Sodium Azide
BufferPBS (pH 7.4), 0.2% BSA, Tween-20Product DescriptionHostRabbitGene ID9076Gene SymbolCLDN1SpeciesHumanSpecificity/SensitivityClaudin 1ImmunogenSynthetic peptide (Human) (C terminal).Product Application DetailsImmunohistochemistry. ParaffinApplicationsImmunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Isotype	IgG
Product Description Host Rabbit Gene ID 9076 Gene Symbol CLDN1 Species Human Specificity/Sensitivity Claudin 1 Immunogen Synthetic peptide (Human) (C terminal). Product Application Details Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100 Application Notes IHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Purity	Affinity purified
HostRabbitGene ID9076Gene SymbolCLDN1SpeciesHumanSpecificity/SensitivityClaudin 1ImmunogenSynthetic peptide (Human) (C terminal).Product Application DetailsImmunohistochemistry. ParaffinApplicationsImmunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Buffer	PBS (pH 7.4), 0.2% BSA, Tween-20
Gene ID9076Gene SymbolCLDN1SpeciesHumanSpecificity/SensitivityClaudin 1ImmunogenSynthetic peptide (Human) (C terminal).Product Application DetailsImmunohistochemistry. ParaffinApplicationsImmunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Product Description	
Gene SymbolCLDN1SpeciesHumanSpecificity/SensitivityClaudin 1ImmunogenSynthetic peptide (Human) (C terminal).Product Application DetailsApplicationsImmunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsImmunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Host	Rabbit
SpeciesHumanSpecificity/SensitivityClaudin 1ImmunogenSynthetic peptide (Human) (C terminal).Product Application DetailsApplicationsImmunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsImmunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Gene ID	9076
Specificity/SensitivityClaudin 1ImmunogenSynthetic peptide (Human) (C terminal).Product Application DetailsApplicationsImmunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsImmunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Gene Symbol	CLDN1
ImmunogenSynthetic peptide (Human) (C terminal).Product Application DetailsApplicationsImmunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsImmunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Species	Human
Product Application Details Applications Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100 Application Notes IHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Specificity/Sensitivity	Claudin 1
ApplicationsImmunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsImmunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Immunogen	Synthetic peptide (Human) (C terminal).
Recommended DilutionsImmunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Product Application Details	
Application Notes IHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Applications	Immunohistochemistry, Immunohistochemistry-Paraffin
Application Notes IHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended incubation time of 30 min at RT.	Recommended Dilutions	Immunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100
	Application Notes	IHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended incubation time of 30 min at RT.

Images

Immunohistochemistry-Paraffin: Claudin-1 Antibody [NB120-15098] -Formalin fixed paraffin embedded human skin stained with Claudin 1 antibody (NB120-15098).







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB120-15098

NBL1-09235	Claudin-1 Overexpression Lysate
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB120-15098

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

