Product Datasheet

Integrin alpha 4/CD49d Antibody (HP2/1) [Janelia Fluor® 549] NB120-22858JF549

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB120-22858JF549

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB120-22858JF549



NB120-22858JF549

Integrin alpha 4/CD49d Antibody (HP2/1) [Janelia Fluor® 549]

| 0.1 ml | |
|---|--|
| Please see the vial label for concentration. If unlisted please contact technical services. | |
| Store at 4C in the dark. | |
| Monoclonal | |
| HP2/1 | |
| 0.05% Sodium Azide | |
| IgG1 | |
| Janelia Fluor 549 | |
| Protein A or G purified | |
| 50mM Sodium Borate | |
| Product Description | |
| Mouse | |
| 3676 | |
| ITGA4 | |
| Human | |
| Cross-reacts with Rat, Rhesus Monkey, Bovine, Pig, Cynomolgus monkey, Goat, Rabbit, Llama, Horse, Mink, Mustelid, Cat | |
| Mouse anti Human CD49d monoclonal antibody, clone HP2/1 recognizes human CD49d also known as integrin alpha-4 or VLA-4 subunit alpha. CD49d is a ~150kDa single pass type 1 transmembrane glycoprotein with seven FG-GAP repeats, characteristic of alpha integrins, in its extracellular domain. CD49d can be proteolytically cleaved to yield framents of 80 and 70kDa (Hemler et al. 1987). CD49d associates with either CD29 to form VLA-4 or with Integrin beta-7 to form The Peyer patches-specific homing receptor LPAM-1, involved in the lymphocyte migration and homing to gut-associated lymphoid tissue (Sackstein 2006) through its interaction with MadCam-1, preferentially expressed on Peyer's patch high endothelial venules and postcapillary venules in lamina propria (Briskin et al. 1997). Mouse anti human CD49d, clone HP2/1 binds to both intact and the 80kDa fragment of integrin alpha-4. CD49d is expressed on monocytes, T cells, B cells, thymocytes and Langerhans cells (de Graaf et al. 1995). Mouse anti Human CD49d, clone HP2/1 structure and has been demonstrated to inhibit cell binding to soluble VCAM-1 (Weller et al. 1991). | |
| JM leukaemia line | |
| Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. | |
| Product Application Details | |
| | |
| Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Frozen, Immunoprecipitation | |
| | |
| | |





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB120-22858JF549

| NBP1-97005JF549 | Mouse IgG1 Isotype Control (MG1) [Janelia Fluor 549] |
|--------------------|---|
| H00003676-Q01-10ug | Recombinant Human Integrin alpha 4/CD49d GST (N-Term) Protein |
| 210-TA-005 | TNF-alpha [Unconjugated] |
| NBL1-12064 | Integrin alpha 4/CD49d Overexpression Lysate |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB120-22858JF549

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

