Product Datasheet

Pma1 Antibody (40B7) NB120-4645

Unit Size: 0.25 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.



Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB120-4645

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB120-4645



NB120-4645

Pma1 Antibody (40B7)

| Product Information | |
|-----------------------------|---|
| Unit Size | 0.25 ml |
| Concentration | This product is unpurified. The exact concentration of antibody is not quantifiable. |
| Storage | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. |
| Clonality | Monoclonal |
| Clone | 40B7 |
| Preservative | 0.035% Sodium Azide |
| Isotype | IgG |
| Purity | Tissue culture supernatant |
| Buffer | Supplied as concentrated hybridoma cell culture media. |
| Target Molecular Weight | 100 kDa |
| Product Description | |
| Host | Mouse |
| Gene ID | 852876 |
| Gene Symbol | Pma1 |
| Species | Yeast |
| Reactivity Notes | Saccharomyces cerevisiae. |
| Marker | Plasma Membrane Marker |
| Immunogen | Generated from a sequence of yeast Pma1 [Swiss-Prot# P05030] |
| Product Application Details | |
| Applications | Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry |
| Recommended Dilutions | Western Blot 1:10000, Immunohistochemistry 1:1000-1:5000, Immunocytochemistry/ Immunofluorescence 1:1000-1:5000 |
| Application Notes | This Pma1 Antibody (40B7) is useful for Immunocytochemistry/Immunofluorescence and Western blot analysis. For Western blots of yeast protein samples (cell lysates), use at a dilution of 1:10,000, followed by chemiluminescent detection (ECL). For non-ECL western detection methods, use at a dilution of 1:1,000 to 1:5,000. The predicted molecular weight by western blot is 100 kDa. |

Publications

Velivela SD, Kane PM. Compensatory Internalization of Pma1 in V-ATPase Mutants in Saccharomyces cerevisiae Requires Calcium- and Glucose-Sensitive Phosphatases. Genetics 2017-12-18 [PMID: 29254995] (Yeast)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB120-4645

| HAF007 | Goat anti-Mouse IgG Secondary Antibody [HRP] |
|----------------|---|
| NB720-B | Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin] |
| NBP1-97019-5mg | Mouse IgG Isotype Control |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB120-4645

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

