Product Datasheet

HSP27 Antibody NB120-5579

Unit Size: 100ug

Store at -20C. Avoid freeze-thaw cycles.



Reviews: 1 Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB120-5579

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB120-5579



NB120-5579

HSP27 Antibody

| Product Information | |
|-----------------------------|---|
| Unit Size | 100ug |
| Concentration | Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at -20C. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG |
| Purity | Immunogen affinity purified |
| Buffer | PBS with 1 mg/ml BSA |
| Product Description | |
| Host | Rabbit |
| Gene ID | 3315 |
| Gene Symbol | HSPB1 |
| Species | Human, Rat, Primate |
| Specificity/Sensitivity | Hsp27 |
| Immunogen | Synthetic peptide corresponding to residues $L(10) L R G P S W D P F R C(21)$ of human Heat Shock Protein 27. |
| Product Application Details | |
| Applications | Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin |
| Recommended Dilutions | Western Blot 1:1000 - 1:2000, Immunohistochemistry 4 ug/ml, Immunocytochemistry/ Immunofluorescence 1:50, Immunohistochemistry- Paraffin 1:10-1:500 |
| Application Notes | WB: Detects an approx. 27 kDa which corresponds to hsp27 from HeLa cells.ICC: Staining of hsp27 in HeLa cells with this antibody results in diffuse cytoplasmic staining before heat shock and diffuse cytoplasmic along with punctate staining patterns after. |

Images

Western Blot: HSP27 Antibody [NB120-5579] - Analysis of 50ug of the indicated whole cell lysates per well.





Immunocytochemistry/Immunofluorescence: HSP27 Antibody [NB120-5579] - Analysis of Heat Shock Protein 27 in MCF-7 Cells. Cells were grown on chamber slides and fixed with formaldehyde prior to staining. Cells were probed without (control) or with a Heat Shock Protein 27 polyclonal antibody at a dilution of 1:200 overnight at 4C, washed with PBS and incubated with a DyLight-488 conjugated secondary antibody. Heat Shock Protein 27 staining (green), F-Actin staining with Phalloidin (red) and nuclei with DAPI (blue) is shown.

Immunohistochemistry-Paraffin: HSP27 Antibody [NB120-5579] - Both normal and cancer biopsies of deparaffinized human Breast carcinoma tissue.

Immunocytochemistry/Immunofluorescence: HSP27 Antibody [NB120-5579] - Formalin fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 10 minutes at room temperature and blocked with 1% Blocker BSA for 15 minutes at room temperature. Cells were probed with HSP27 polyclonal antibody at a dilution of 1:400 for 30 minutes at room temperature. F-Actin (red) was stained with DyLight 554 Phalloidin and nuclei (blue) were stained with Hoechst 33342 dye.

Immunocytochemistry/Immunofluorescence: HSP27 Antibody [NB120-5579] - Analysis of Heat Shock Protein 27 in C6 Cells. Cells were grown on chamber slides and fixed with formaldehyde prior to staining. Cells were probed without (control) or with a Heat Shock Protein 27 polyclonal antibody at a dilution of 1:100 overnight at 4C, washed with PBS and incubated with a DyLight-488 conjugated secondary antibody. Heat Shock Protein 27 staining (green), F-Actin staining with Phalloidin (red) and nuclei with DAPI (blue) is shown.

www.novusbio.com









Immunocytochemistry/Immunofluorescence: HSP27 Antibody [NB120-5579] - Analysis of Heat Shock Protein 27 in HeLa Cells. Cells were grown on chamber slides and fixed with formaldehyde prior to staining. Cells were probed without (control) or with a Heat Shock Protein 27 polyclonal antibody at a dilution of 1:200 overnight at 4C, washed with PBS and incubated with a DyLight-488 conjugated secondary antibody. Heat Shock Protein 27 staining (green), F-Actin staining with Phalloidin (red) and nuclei with DAPI (blue) is shown.

Immunohistochemistry-Paraffin: HSP27 Antibody [NB120-5579] - Both normal and cancer biopsies of deparaffinized human Skeletal muscle tissue.



Publications

Onay Ucar E, Sengelen A, Mertoglu Kamali E Hsp27, Hsp60, Hsp70, or Hsp90 depletion enhances the antitumor effects of resveratrol via oxidative and ER stress response in human glioblastoma cells Biochemical Pharmacology 2023-02-01 [PMID: 36603687] (WB, Human)

Details:

1:1000 WB dilution

Kiyga E, Adıguzel Z, Onay Ucar E Temozolomide increases heat shock proteins in extracellular vesicles released from glioblastoma cells Molecular biology reports 2022-06-25 [PMID: 35752701] (WB, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB120-5579

| NBP2-24891 | Rabbit IgG Isotype Control |
|------------|---|
| NB7160 | Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP] |
| HAF008 | Goat anti-Rabbit IgG Secondary Antibody [HRP] |
| NB800-PC1 | HeLa Whole Cell Lysate |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB120-5579

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

