

Product Datasheet

Cytokeratin 20 Antibody (Ks20.8)

NB120-854

Unit Size: 0.5 ml

Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB120-854

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB120-854




NB120-854**Cytokeratin 20 Antibody (Ks20.8)**

| Product Information | |
|------------------------------------|--|
| Unit Size | 0.5 ml |
| Concentration | This product is unpurified. The exact concentration of antibody is not quantifiable. |
| Storage | Store at 4C. |
| Clonality | Monoclonal |
| Clone | Ks20.8 |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG2a Kappa |
| Purity | Tissue culture supernatant |
| Buffer | Tissue culture supernatant |
| Target Molecular Weight | 48.5 kDa |
| Product Description | |
| Host | Mouse |
| Gene ID | 54474 |
| Gene Symbol | KRT20 |
| Species | Human |
| Reactivity Notes | Cross-reacts with Human. Not yet tested in other species. |
| Specificity/Sensitivity | This antibody reacts with cytokeratin polypeptide of 46 kDa in immunoblot analyses. Studies have shown that a marked difference exists in the expression of Cytokeratin 20 among various carcinomas. |
| Immunogen | Cytokeratins isolated from human micro-dissected villi of human duodenal mucosa. |
| Product Application Details | |
| Applications | Immunohistochemistry, Immunohistochemistry-Paraffin |
| Recommended Dilutions | Immunohistochemistry 1:50-1:100, Immunohistochemistry-Paraffin 1:50-1:100 |
| Application Notes | IHC-P: recommended incubation time of 30 min at RT. |




Images

Immunohistochemistry-Paraffin: Cytokeratin 20 Antibody (Ks20.8) [NB120-854] - Formalin fixed paraffin embedded human colon carcinoma stained with Cytokeratin 20 antibody (NB120-854).



Immunohistochemistry-Paraffin: Cytokeratin 20 Antibody (Ks20.8) [NB120-854] - Formalin fixed paraffin embedded human colon carcinoma stained with Cytokeratin 20 antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB120-854

| | |
|------------------|---|
| NBL1-12388 | Cytokeratin 20 Overexpression Lysate |
| HAF007 | Goat anti-Mouse IgG Secondary Antibody [HRP] |
| NB720-B | Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin] |
| NBP1-96981-0.5mg | Mouse IgG2a Kappa Isotype Control (M2AK) |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB120-854

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

