Product Datasheet NFATC2/NFAT1 Antibody (25A10.D6.D2) [Janelia Fluor® 635]

NB300-504JF635

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB300-504JF635

Updated 12/12/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB300-504JF635

NB300-504JF635

NFATC2/NFAT1 Antibody (25A10.D6.D2) [Janelia Fluor® 635]

| J (| / L J |
|-----------------------------|---|
| Product Information | |
| Unit Size | 0.1 ml |
| Concentration | Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 4C in the dark. |
| Clonality | Monoclonal |
| Clone | 25A10.D6.D2 |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG1 |
| Conjugate | Janelia Fluor 635 |
| Purity | Protein G purified |
| Buffer | 50mM Sodium Borate |
| Product Description | |
| Host | Mouse |
| Gene ID | 4773 |
| Gene Symbol | NFATC2 |
| Species | Human, Mouse, Rat |
| Reactivity Notes | Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. |
| Specificity/Sensitivity | Detects nuclear factor of activated T-cells (NFAT). This does not cross react with NFAT2 (NFATc, NFATc1). |
| Immunogen | Synthetic peptide corresponding to residues $A(51) I S S P S G L A Y P D D V L D Y G L(69)$ of mouse NFATc2-A, B and C isoforms. |
| Notes | Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. |
| Product Application Details | |
| Applications | Western Blot, Gel Super Shift Assays, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunoprecipitation, Sandwich ELISA, Chromatin Immunoprecipitation (ChIP) |
| Recommended Dilutions | Western Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Gel Super Shift Assays, Sandwich ELISA, Chromatin Immunoprecipitation (ChIP) |
| Application Notes | Optimal dilution of this antibody should be experimentally determined. |
| | · |





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB300-504JF635

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



