Product Datasheet

GR/NR3C1 Antibody (BuGR2) [DyLight 350] NB300-731UV

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB300-731UV

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB300-731UV



NB300-731UV

GR/NR3C1 Antibody (BuGR2) [DyLight 350]

Product Information Unit Size 0.1 ml Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone BuGR2 Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate DyLight 350 Purity Protein A purified Buffer SomM Sodium Borate Product Description 4008 Gene ID 2908 Gene Symbol NR3C1 Species Human, Mouse, Rat, Guinea Pig, Rabbit, Sheep, Yeast Reactivity Notes Please note that this antbody is reactive to Mouse and derived for the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Specificity/Sensitivity Using enzymatic digestion analysis, has been shown to react with the undigested 97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding ctymotrypsin fragment, and a 45 kDa steroid- and DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding trypsin fragment, and a 45 kDa steroid- a	· · · · · ·	
Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone BuGR2 Preservative 0.65% Sodium Azide Isotype IgG2a Conjugate DyLight 350 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Host Mouse Gene ID 2908 Gene Symbol NR3C1 Species Human, Mouse, Rat, Guinea Pig, Rabbit, Sheep, Yeast Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse, Additional Mouse on Mouse blocking steps may be required for IIAC and ICC experiments. Please contact Technical Support for more information. Specificity/Sensitivity Using enzymatic digestion analysis, has been shown to react with the undigested gr Ab ab a steroid- and DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment, and a 45 kDa steroid- and DNA-binding trypsin fragment, an	Product Information	
contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone BuGR2 Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate DyLight 350 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Host Mouse Gene ID 2908 Gene Symbol NR3C1 Species Human, Mouse, Rat, Guinea Pig, Rabbit, Sheep, Yeast Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for III-C and ICC experiments. Please contact Technical Support for more information. Specificity/Sensitivity Using enzymatic digestion analysis, has been shown to react with the undigested gr Aba Bac at 7 Aba DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment, Bida 50, IT (Stero Cytometry, Gel Super Shift	Unit Size	0.1 ml
Clonality Monoclonal Clone BuGR2 Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate DyLight 350 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Host Mouse Gene ID 2908 Gene Symbol NR3C1 Species Human, Mouse, Rat, Guinea Pig, Rabbit, Sheep, Yeast Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for HC and ICC experiments. Please contact Technical Support for more information. Specificity/Sensitivity Using enzymatic digestion analysis, has been shown to react with the undigested 97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment. Immunogen Partially purified rat GR. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry. Paraffin, Gel Applications Western Blot, Flow Cytometry, Immunohistochemistry. Paraffin, Gel	Concentration	
Clone BuGR2 Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate DyLight 350 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Mouse Gene ID 2908 Gene Symbol NR3C1 Species Human, Mouse, Rat, Guinea Pig, Rabbit, Sheep, Yeast Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same hoat, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Specificity/Sensitivity Using enzymatic digestion analysis, has been shown to react with the undigested 97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment. Immunogen Partially purified rat GR. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Paraffin, Immunoprecipitation, IStork/Paraffin, Gel	Storage	Store at 4C in the dark.
Preservative 0.05% Sodium Azide Isotype IgG2a Conjugate DyLight 350 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Mouse Gene ID 2908 Gene Symbol NR3C1 Species Human, Mouse, Rat, Guinea Pig, Rabbit, Sheep, Yeast Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Specificity/Sensitivity Using enzymatic digestion analysis, has been shown to react with the undigested 97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment. Immunogen Partially purified rat GR. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Immunoprecipitation, (ChIP) Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry/Earaffin, Gel	Clonality	Monoclonal
IsotypeIgG2aConjugateDyLight 350PurityProtein A purifiedBuffer50mM Sodium BorateProduct DescriptionMouseGene ID2908Gene SymbolNR3C1SpeciesHuman, Mouse, Rat, Guinea Pig, Rabbit, Sheep, YeastReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information.Specificity/SensitivityUsing enzymatic digestion analysis, has been shown to react with the undigested 97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment.ImmunogenPartially purified rat GR.NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/Immunofistochemistry. Jeardfin, Immunoprecipitation, Block/Neutralize, Chromatin Immunoprecipitation (ChIP)Recommended DilutionsWestern Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/Immunofistochemistry. Immunofistochemistry-Paraffin, Immunofuorescence, Immunohistochemistry, Immunofistochemistry-Paraffin, Immunofuorescence, Immunohistochemistry, Immunocytochemistry/Immunofuorescence, Immunohistochemistry, Immunofuschemistry/Immunofuorescence, Immunohistochemistry, Immunoprecipitation, Ghieley	Clone	BuGR2
Conjugate DyLight 350 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Mouse Host Mouse Gene ID 2908 Gene Symbol NR3C1 Species Human, Mouse, Rat, Guinea Pig, Rabbit, Sheep, Yeast Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for HC and ICC experiments. Please contact Technical Support for more information. Specificity/Sensitivity Using enzymatic digestion analysis, has been shown to react with the undigested 97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment. Immunogen Partially purified rat GR. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Im	Preservative	0.05% Sodium Azide
Purity Protein A purified Buffer 50mM Sodium Borate Product Description 4000 Host Mouse Gene ID 2908 Gene Symbol NR3C1 Species Human, Mouse, Rat, Guinea Pig, Rabbit, Sheep, Yeast Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Specificity/Sensitivity Using enzymatic digestion analysis, has been shown to react with the undigested 97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment. Immunogen Partially purified rat GR. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immunoprecipitation (ChIP) Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry/Immunocytochemistry/Immunofluorescence, Immunohistochemistry/Immunohistochemistry/Immunofluorescence, Immunohistochemistry/Immunocytochemistry/Immunofluorescence, Immunohistochemistry/Immunohistochemistry/Immunofluorescence, Immunohistochemistry/Immunohistochemistry/Immunofluorescence, Immunohistochemistry/Immunohistochemistry/Immunoflu	Isotype	IgG2a
Buffer 50mM Sodium Borate Product Description Mouse Host Mouse Gene ID 2908 Gene Symbol NR3C1 Species Human, Mouse, Rat, Guinea Pig, Rabbit, Sheep, Yeast Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Specificity/Sensitivity Using enzymatic digestion analysis, has been shown to react with the undigested 97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment. Immunogen Partially purified rat GR. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunorecipitation (ChIP) Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence,	Conjugate	DyLight 350
Product Description Host Mouse Gene ID 2908 Gene Symbol NR3C1 Species Human, Mouse, Rat, Guinea Pig, Rabbit, Sheep, Yeast Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Specificity/Sensitivity Using enzymatic digestion analysis, has been shown to react with the undigested 97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment. Immunogen Partially purified rat GR. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunoprecipitation, Block/Neutralize, Chromatin Immunoprecipitation (ChIP) Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunorytochemistry/Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immu	Purity	Protein A purified
Host Mouse Gene ID 2908 Gene Symbol NR3C1 Species Human, Mouse, Rat, Guinea Pig, Rabbit, Sheep, Yeast Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Specificity/Sensitivity Using enzymatic digestion analysis, has been shown to react with the undigested 97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment. Immunogen Partially purified rat GR. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunoprecipitation, (ChIP) Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Imm	Buffer	50mM Sodium Borate
Gene ID 2908 Gene Symbol NR3C1 Species Human, Mouse, Rat, Guinea Pig, Rabbit, Sheep, Yeast Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Specificity/Sensitivity Using enzymatic digestion analysis, has been shown to react with the undigested 97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment. Immunogen Partially purified rat GR. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immunoprecipitation, Block/Neutralize, Chromatin Immunoprecipitation (ChIP) Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Gel	Product Description	
Gene Symbol NR3C1 Species Human, Mouse, Rat, Guinea Pig, Rabbit, Sheep, Yeast Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Specificity/Sensitivity Using enzymatic digestion analysis, has been shown to react with the undigested 97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment. Immunogen Partially purified rat GR. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Paraffin, Gel	Host	Mouse
SpeciesHuman, Mouse, Rat, Guinea Pig, Rabbit, Sheep, YeastReactivity NotesPlease note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information.Specificity/SensitivityUsing enzymatic digestion analysis, has been shown to react with the undigested 	Gene ID	2908
Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Specificity/Sensitivity Using enzymatic digestion analysis, has been shown to react with the undigested 97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment. Immunogen Partially purified rat GR. Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Western Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunoprecipitation (ChIP) Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/Immunoprecipitation, Block/Neutralize, Chromatin Immunoprecipitation (ChIP)	Gene Symbol	NR3C1
host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information.Specificity/SensitivityUsing enzymatic digestion analysis, has been shown to react with the undigested 97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment.ImmunogenPartially purified rat GR.NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Gel	Species	Human, Mouse, Rat, Guinea Pig, Rabbit, Sheep, Yeast
97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and DNA-binding chymotrypsin fragment.ImmunogenPartially purified rat GR.NotesDyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsWestern Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunoprecipitation (ChIP)Recommended DilutionsWestern Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Gel	Reactivity Notes	host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more
Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. Product Application Details Mestern Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Block/Neutralize, Chromatin Immunoprecipitation (ChIP) Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunoprecipitation, Block/Neutralize, Chromatin Immunoprecipitation (ChIP)	Specificity/Sensitivity	97 kDa GR, a 17 kDa DNA-binding trypsin fragment, and a 45 kDa steroid- and
DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.Product Application DetailsApplicationsWestern Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Block/Neutralize, Chromatin Immunoprecipitation (ChIP)Recommended DilutionsWestern Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunoprecipitation, Block/Neutralize, Chromatin Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation, Immunohistochemistry, Paraffin, Gel	Immunogen	Partially purified rat GR.
ApplicationsWestern Blot, Flow Cytometry, Gel Super Shift Assays, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Block/Neutralize, Chromatin Immunoprecipitation (ChIP)Recommended DilutionsWestern Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin, Gel	Notes	DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Block/Neutralize, Chromatin Immunoprecipitation (ChIP)Recommended DilutionsWestern Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin, Gel	Product Application Details	
Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin, Gel	Applications	Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin,
	Recommended Dilutions	Immunofluorescence, Immunoprecipitation, Immunohistochemistry-Paraffin, Gel





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB300-731UV

NB300-731PE	GR/NR3C1 Antibody (BuGR2) [PE]
NBP1-89733PEP	GR/NR3C1 Recombinant Protein Antigen
210-TA-005	TNF-alpha [Unconjugated]
NBP2-82191	Mouse GR/NR3C1 ELISA Kit (Colorimetric)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB300-731UV

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

