## **Product Datasheet**

# Rabenosyn 5 Antibody NB300-813

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 3** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB300-813

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB300-813



## NB300-813

Rabenosyn 5 Antibody


,		
Product Information		
Unit Size	0.1 mg	
Concentration	0.5 mg/ml	
Storage	Store at -20C. Avoid freeze-thaw cycles.	
Clonality	Polyclonal	
Preservative	0.02% Sodium Azide	
Isotype	IgG	
Purity	Immunogen affinity purified	
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA	
Product Description		
Host	Goat	
o ID	04445	

Product Description	
Host	Goat
Gene ID	64145
Gene Symbol	RBSN
Species	Human
Immunogen	Peptide with sequence C-ELKHTLAKQKGGTD corresponding to C-Terminus according to NP_071735.2.
Due dont Application Dataile	

<b>Product Application Details</b>	
Applications	Western Blot, Peptide ELISA, Knockout Validated
Recommended Dilutions	Western Blot 0.3 - 1.5 ug/mL, Peptide ELISA Detection limit 1:64000, Knockout Validated
Application Notes	Western blot: Approx. 110 kDa band observed in A431, fibroblast (epidermoid carcinoma) lysates (calculated MW of 88.8 kDa band according to NP_071735). Band migration is consistent with scientific literature (PMID 11062261, 15020713). Knockout validation (PMID: 31988382).

## **Images**

Western Blot: Rabenosyn 5 Antibody [NB300-813] - Staining of A431 lysate (35 ug protein in RIPA buffer). Antibody at 0.3 ug/mL. Detected by chemiluminescence.





#### **Publications**

Solinger JA, Rashid HO, Prescianotto-Baschong C, Spang A FERARI is required for Rab11-dependent endocytic recycling Nat. Cell Biol. 2020-01-27 [PMID: 31988382] (KO, WB, Human)

Naslavsky N, Boehm M, Backlund PS Jr et al. Rabenosyn-5 and EHD1 interact and sequentially regulate protein recycling to the plasma membrane. Mol Biol Cell 2004-05-01 [PMID: 15020713]

Nielsen E, Christoforidis S, Uttenweiler-Joseph S et al. Rabenosyn-5, a novel Rab5 effector, is complexed with hVPS45 and recruited to endosomes through a FYVE finger domain. J Cell Biol 2000-10-30 [PMID: 11062261]





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NB300-813**

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

NBP1-92310PEP Rabenosyn 5 Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB300-813

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



