Product Datasheet

TBL1 Antibody NB300-872

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB300-872

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB300-872




NB300-872

TBL1 Antibody

| Product Information | |
|-----------------------------|---|
| Unit Size | 0.1 mg |
| Concentration | 0.5 mg/ml |
| Storage | Store at -20C. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.02% Sodium Azide |
| Isotype | IgG |
| Purity | Immunogen affinity purified |
| Buffer | Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA |
| Product Description | |
| Host | Goat |
| Gene ID | 6907 |
| Gene Symbol | TBL1X |
| Species | Human |
| Specificity/Sensitivity | This antibody is also expected to recognise the human protein TBLR1 (NP_078941), which is very similar. Variants (NP_005638.1; NP_001132938.1) encode isoform a (TBL1X) and variants (NP_001132939.1; NP_001132940.1) encode isoform b (TBLX1). |
| Immunogen | Peptide with sequence SASDGSVCVLDLRK corresponding to C-Terminus according to NP_005638.1, NP_001132938.1, NP_001132939.1, NP_001132940.1, NP_078941.2. |
| Product Application Details | |
| Applications | Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA |
| Recommended Dilutions | Immunohistochemistry 4 - 6 ug/mL, Immunohistochemistry-Paraffin 4 - 6 ug/mL, Peptide ELISA Detection limit 1:4000 |
| Application Notes | IHC-P: Human kidney shows preferential nuclear staining in the DCT. |
| | |

Images

Immunohistochemistry-Paraffin: TBL1 Antibody [NB300-872] - Analysis in human Kidney shows preferential nuclear staining in the DCT. Antibody at 4 ug/mL. Steamed antigen retrieval with Tris/EDTA (pH 9), HRP-staining.



Publications

Bassi MT, Ramesar RS, Caciotti B et al. X-linked late-onset sensorineural deafness caused by a deletion involving OA1 and a novel gene containing WD-40 repeats. Am J Hum Genet 1999-06-01 [PMID: 10330347]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB300-872

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

H00006907-P01-10ug Recombinant Human TBL1 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB300-872

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



