

Product Datasheet

ADAM12 Antibody NB300-889

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB300-889

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB300-889



NB300-889

ADAM12 Antibody

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Target Molecular Weight	100 kDa


Product Description	
Host	Goat
Gene ID	8038
Gene Symbol	ADAM12
Species	Human, Mouse
Reactivity Notes	Mouse reactivity reported in scientific literature (PMID: 23124962).
Specificity/Sensitivity	This antibody is expected to recognise both the longer membrane-bound form of human ADAM12 (NP_003465.3) and the shorter soluble ADAM12 splice isoform (NP_067673.2). This antibody does not cross-react with other ADAMS.
Immunogen	Peptide with sequence AARPLPVSPARALC corresponding to N-Terminus according to NP_003465.3, NP_067673.2.

Product Application Details	
Applications	Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA
Recommended Dilutions	Flow Cytometry 10ug/ml, Immunohistochemistry 3.7 ug/ml, Immunocytochemistry/ Immunofluorescence 10ug/ml, Immunohistochemistry-Paraffin 3.7 ug/ml, Peptide ELISA Detection limit 1:64000




Images


Immunocytochemistry/Immunofluorescence: ADAM12 Antibody [NB300-889] - Analysis of paraformaldehyde fixed A431 cells, permeabilized with 0.15% Triton. Primary incubation 1hr (10ug/ml) followed by Alexa Fluor 488 secondary antibody (4ug/ml), showing cytoplasmic/plasma membrane staining. The nuclear stain is DAPI (blue). Negative control: Unimmunized goat IgG (10ug/ml) followed by Alexa Fluor 488 secondary antibody (4ug/ml).




Immunohistochemistry-Paraffin: ADAM12 Antibody [NB300-889] - Human Placenta. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Flow Cytometry: ADAM12 Antibody [NB300-889] - Analysis of paraformaldehyde fixed HeLa cells (blue line), permeabilized with 0.5% Triton. Primary incubation 1hr (10ug/ml) followed by Alexa Fluor 488 secondary antibody (0.4ug/ml). IgG control: Unimmunized goat IgG (black line) followed by Alexa Fluor 488 secondary antibody.



Immunohistochemistry-Paraffin: ADAM12 Antibody [NB300-889] - Human Prostate. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Publications

Galliano MF, Huet C, Frygeli J et al. Binding of ADAM12, a marker of skeletal muscle regeneration, to the muscle-specific actin-binding protein, alpha -actinin-2, is required for myoblast fusion. J Biol Chem 2000-05-05 [PMID: 10788519]

Isozaki T, Rabquer BJ, Ruth JH et al. ADAM-10 is overexpressed in rheumatoid arthritis synovial tissue and mediates angiogenesis Arthritis Rheum 2013-01-01 [PMID: 23124962] (IF/IHC, Mouse, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB300-889

HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control
NBP1-82791PEP	ADAM12 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB300-889

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



