Product Datasheet

ABCA7 Antibody (7A1-144) - Unpurified NB400-166

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB400-166

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB400-166



NB400-166

ABCA7 Antibody (7A1-144) - Unpurified


| ABOAT Antibody (TAT-144) - Onpumed | |
|------------------------------------|---|
| Product Information | |
| Unit Size | 0.1 ml |
| Concentration | This product is unpurified. The exact concentration of antibody is not quantifiable. |
| Storage | Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles. |
| Clonality | Monoclonal |
| Clone | 7A1-144 |
| Preservative | 0.1% Sodium Azide |
| Isotype | IgG2a Kappa |
| Purity | Unpurified |
| Buffer | Ascites |
| Target Molecular Weight | 240 kDa |
| Product Description | |
| Host | Rat |
| Gene ID | 10347 |
| Gene Symbol | ABCA7 |
| Species | Mouse |
| Immunogen | Mouse ABCA7 stably-transfected HeLa cells. [UniProt# Q91V24] |
| Product Application Details | |
| Applications | Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Paraffin |
| Recommended Dilutions | Western Blot 1:2000-1:8000, Flow Cytometry 1:10000-1:60000, Immunohistochemistry, Immunohistochemistry-Paraffin 1:100-1:250 |
| Application Notes | This ABCA7 antibody is useful for Flow Cytometry and Western Blot, where a band is observed at ~240 kDa. This ABCA7 antibody is not reactive in ELISA. The observed molecular weight of the protein may vary from the listed predicted molecular weight due to post translational modifications, post translation |

cleavages, relative charges, and other experimental factors.




Images

Western Blot: ABCA7 Antibody (7A1-144) - Unpurified [NB400-166] - Detection of ABCA7 using NB 400-166 at various dilutions in ABCA7 transfected HeLa cell lysates.



Flow Cytometry: ABCA7 Antibody (7A1-144) - Unpurified [NB400-166] - Analysis of 6C (red) (negative control HeLa cells) and A7(blue) (ABCA7 expressing HeLa cells) using NB 400-166 at a dilution of 1:3,000.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB400-166

HAF005 Goat anti-Rat IgG Secondary Antibody [HRP]

NBP1-75398 Goat anti-Rat IgG (H+L) Secondary Antibody (Pre-adsorbed)

NBP1-43321-0.5mg Rat IgG2a Kappa Light Chain Isotype Control (R2a)

NBP2-14250PEP ABCA7 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB400-166

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

