Product Datasheet

Neprilysin/CD10 Antibody (MEM-78) - BSA Free NB500-372

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB500-372

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB500-372



NB500-372

Neprilysin/CD10 Antibody (MEM-78) - BSA Free


. ,	
Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	MEM-78
Preservative	0.9% Sodium Azide
Isotype	lgG1
Purity	Protein A purified
Buffer	PBS (pH 7.4)


Product Description		
Host	Mouse	
Gene ID	4311	
Gene Symbol	MME	
Species	Human	
Specificity/Sensitivity	Human CD10 antigen (CALLA)	
Immunogen	Tissue / cell preparation (Human). (Pre-B cell line NALM-6).	

Product Application Details	
Applications	Flow Cytometry, Immunoprecipitation
Recommended Dilutions	Flow Cytometry 1 ug/ml, Immunoprecipitation 1:50
Application Notes	WB: Use under non-reducing conditions. Optimal dilutions/concentrations should be determined by the end user.

Images

Flow (Cell Surface): Neprilysin/CD10 Antibody (MEM-78) [NB500-372] - Surface staining of human peripheral blood with anti-human CD10 (MEM-78) PerCP-CyTM5.5.







Flow (Cell Surface): Neprilysin/CD10 Antibody (MEM-78) [NB500-372] -Surface staining of human peripheral blood with anti-human CD10 (MEM-78) PE-DyLigt(R) 594. SS INT LIN CD10 PE-DyLight® 594 Flow (Cell Surface): Neprilysin/CD10 Antibody (MEM-78) [NB500-372] -Surface staining of human peripheral blood with anti-human CD10 (MEM-78) PerCP. SS-A:: SS INT LIN CD10 PerCP Separation of human neutrophil granulocytes (red-filled) from CD10 negative lymphocytes (black-dashed) in Analysis (surface staining) of human peripheral whole blood stained using anti-human CD10 (MEM-Relative Cell Count 78) purified antibody (concentration in sample 1 ug/ml, GAM APC). CD10 (purified) / GAM APC





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB500-372

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NBP2-59882-50ug Recombinant Human Neprilysin/CD10 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB500-372

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

