

Product Datasheet

Integrin beta 1/CD29 Antibody (MEM-101A) - BSA Free NB500-383

Unit Size: 0.1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 9

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB500-383

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB500-383




NB500-383

Integrin beta 1/CD29 Antibody (MEM-101A) - BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	MEM-101A
Preservative	0.9% Sodium Azide
Isotype	IgG1
Purity	Protein A purified
Buffer	PBS (pH 7.4)
Target Molecular Weight	130 kDa
Product Description	
Host	Mouse
Gene ID	3688
Gene Symbol	ITGB1
Species	Human, Porcine, Canine, Mouse (Negative)
Marker	Stem Cell Marker
Specificity/Sensitivity	The antibody MEM-101A reacts with CD29 (integrin beta1 chain), a 130 kDa single chain type I glycoprotein expressed as a heterodimer (non-covalently associated with the integrin alpha subunits 1-6). CD29 is broadly expressed on majority of hematopoietic and non-hematopoietic cells (leukocytes, platelets, fibroblasts, endothelial cells, epithelial cells and mast cells). HLDA VI; WS Code AS A048
Immunogen	Raji Burkitt's lymphoma cell line (NM_002211.3).
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunoprecipitation, CyTOF-ready
Recommended Dilutions	Western Blot 2 ug/ml, Flow Cytometry 2 ug/ml, Immunoprecipitation 1:50, CyTOF-ready
Application Notes	Purity is > 95% (by SDS-PAGE). Western Blot - Sample preparation: buffer with laurylmaltoside, 2 x non-reducing SDS Application note: Non-reducing conditions. SDS-PAGE (6% separating gel, 4% stacking gel). Recommended secondary antibody - anti mouse IgG/HRP, dilution 1:2000, 60 min on vertical incubator. This antibody is CyTOF ready.

Images


Western Blot: Integrin beta 1/CD29 Antibody (MEM-101A) [NB500-383] - Western Blotting analysis (non-reducing conditions) of isolated peripheral blood lymphocytes of various species using anti-Integrin beta 1 Antibody (MEM-101A). Lane 1: lysate of human PBL Lane 2: lysate of canine PBL Lane 3: lysate of porcine PBL.



Flow Cytometry: Integrin beta 1/CD29 Antibody (MEM-101A) [NB500-383] - Staining of human peripheral blood with anti-human CD29 (MEM-101A) PE.



Flow Cytometry: Integrin beta 1/CD29 Antibody (MEM-101A) [NB500-383] - Surface staining of human peripheral blood with anti-human CD29 (MEM-101A) APC conjugated.



Publications

HD Dawson, JK Lunney Porcine cluster of differentiation (CD) markers 2018 update Res. Vet. Sci., 2018-02-22;118 (0):199-246. 2018-02-22 [PMID: 29518710]

Kell MJ, Ang SF, Pigati L et al. Novel function for AP-1B during cell migration Mol. Biol. Cell 2020-08-20 [PMID: 32816642]

Kell MJ, Ang SF, Pigati L et al. AP-1B facilitates endocytosis during cell migration bioRxiv 2019-10-25 (ICC/IF, Porcine)

Kishimoto T et al. Leukocyte Typing VI. Garland Publishing Inc. 1997-01-01

Moreira ML, Costa-Pereira C, Alves MLR. Vaccination against canine leishmaniosis increases the phagocytic activity, nitric oxide production and expression of cell activation/migration molecules in neutrophils and monocytes. Veterinary Parasitology [PMID: 26995719] (FLOW, Canine)

Details:

Used the PE form of this antibody.

Planka L, Necas A, Srnc R et al. Use of allogenic stem cells for the prevention of bone bridge formation in miniature pigs Physiol Res 2009-01-01 [PMID: 19093735]

Details:

This citation used the Biotin version of this antibody.

Simova S, Klima M, Cermak L, Sourkova V, Andera L. Arf and Rho GAP adapter protein ARAP1 participates in the mobilization of TRAIL-R1/DR4 to the plasma membrane Apoptosis 2008-03-01 [PMID: 18165900]

Details:

This citation used the FITC version of this antibody.

Chen PW, Luo R, Jian X, Randazzo PA. The Arf6 GTPase-Activating Proteins ARAP2 and ACAP1 Define Distinct Endosomal Compartments that Regulate Integrin $\alpha 5 \beta 1$ Traffic. J Biol Chem 2014-09-15 [PMID: 25225293]

Details:

Using the PE conjugated version of NB500-383, catalog number NB500-383PE.

Quach NL, Biressi S, Reichardt LF et al. Focal Adhesion Kinase Signaling Regulates the Expression of Caveolin 3 {beta}1 Integrin, Genes Essential for Normal Myoblast Fusion. Mol Biol Cell;20(14):3422-3435. 2009-01-01 [PMID: 19458188]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB500-383

NBL1-12069	Integrin beta 1/CD29 Overexpression Lysate
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB500-383

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

