Product Datasheet

IgE Antibody (BE5) - BSA Free NB500-470

Unit Size: 0.1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB500-470

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB500-470



NB500-470

IgE Antibody (BE5) - BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	BE5
Preservative	0.9% Sodium Azide
Isotype	IgG1
Purity	Protein A purified
Buffer	PBS (pH 7.4)

Product Description	
Host	Mouse
Gene ID	3497
Gene Symbol	IGHE
Species	Human
Specificity/Sensitivity	The antibody BE5 reacts with human IgE; it recognizes an epitope different from the ones recognized by 4G7 and 4H10 antibodies to IgE.
Immunogen	Purified human IgE.

Product Application Details	
Applications	ELISA, Flow Cytometry
Recommended Dilutions	Flow Cytometry 5 ug/ml, ELISA 1:2000

Images

Flow Cytometry: IgE Antibody (BE5) [NB500-470] - Staining of IgE in human peripheral blood with anti-IgE (BE5) PE-CyTM5.



Flow Cytometry: IgE Antibody (BE5) [NB500-470] - Surface staining of 1.0M IgE in human peripheral blood lymphocytes with anti-IgE (BE5) purified, GAM-APC. SS-A 1,61 IgE PUR / GAM APC Flow Cytometry: IgE Antibody (BE5) [NB500-470] - Analysis of basophil activation upon stimulation of normal (heparin-treated) whole blood with combination of IL-3 and Goat anti-IgE polyclonal antibody. Fig. 1B anti-CD63 PE-Dyomics 647 staining of IgE stimulated sample 101 100 10 anti-IgE FITC Flow Cytometry: IgE Antibody (BE5) [NB500-470] - Surface staining of IgE in human peripheral blood with anti-IgE (BE5) PE. ROOK SS-A :: SS INT LIN 600K IgE PE Flow Cytometry: IgE Antibody (BE5) [NB500-470] - Flow Cytometry analysis of basophil activation upon stimulation of normal (heparin-A treated) whole blood with combination of IL-3 and Goat anti-IgE polyclonal antibody. Fig. 1A - staining of non-stimulated (control) sample. 101

Publications

Walsh DI, Murthy SK, Russom A. Ultra-High-Throughput Sample Preparation System for Lymphocyte Immunophenotyping Point-of-Care Diagnostics. J Lab Autom. 2016-10-01 [PMID: 26920576]

Details:

This citation used the PE version of this antibody.



anti-IgE FITC



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

Bio-Techne Ltd

nb-customerservice@bio-techne.com

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB500-470

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

210-TA-005 TNF-alpha [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB500-470

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

