

Product Datasheet

Fc gamma RIIIA/CD16a Antibody (MEM-168) - BSA Free NB500-523

Unit Size: 0.1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Reviews: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB500-523

Updated 2/21/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB500-523



NB500-523

Fc gamma RIIIA/CD16a Antibody (MEM-168) - BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	MEM-168
Preservative	0.09% Sodium Azide
Isotype	IgM
Purity	Multi-step
Buffer	TBS (pH 8.0)
Target Molecular Weight	65 kDa


Product Description	
Host	Mouse
Gene ID	2214
Gene Symbol	FCGR3A
Species	Human, Porcine, Primate
Specificity/Sensitivity	The antibody MEM-168 reacts with CD16 antigen, a low affinity receptor for aggregated IgG (FcgammaRIII antigen). CD16 exists in two different isoforms: CD16a (FcgammaRIIIA; 50-65 kDa; expressed on NK-cells, monocytes and macrophages) and CD16b (FcgammaRIIIB; 48 kDa; mainly expressed on neutrophils).
Immunogen	Human granulocytes.

Product Application Details	
Applications	Flow Cytometry
Recommended Dilutions	Flow Cytometry 1-4 ug/ml




Images


Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (MEM-168) [NB500-523] - Analysis using the Alexa Fluor (R) 647 conjugate of NB500-523. Staining of CD16a in human buffy coat using anti-CD16a antibody. The primary antibody was used at a dilution of 1:100 and incubated for 25 min at 4C in 2% human serum, 0.5 mM EDTA in DPBS. Image




Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (MEM-168) [NB500-523] - Surface staining of lysed and washed porcine peripheral blood with purified anti-CD16 (MEM-168) (detection by anti-mouse IgM FITC). Panel A - porcine PBMC stained with Isotype mouse IgM control (PFR-03) Panel B, C, D - three different porcine PMBC samples stained with anti-CD16 (MEM-168) Cells in the granulocyte gate were used for analysis.



Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (MEM-168) [NB500-523] - Analysis using the Alexa Fluor (R) 488 conjugate of NB500-523. Staining of CD16a in human buffy coat using anti-CD16a antibody AF488. The primary antibody was used at a dilution of 1:100 and incubated for 25 min at 4C in 2% human serum, 0.5 mM EDTA in DPBS. Image from verified customer review.



Flow Cytometry: Fc gamma RIIIA/CD16a Antibody (MEM-168) [NB500-523] - Human PBMC stained with Fc gamma RIIIA/CD16a antibody. Image from verified customer review.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB500-523

NBL1-10658	Fc gamma RIIIA/CD16a Overexpression Lysate
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP2-62224	Mouse IgM Isotype Control (PFR-03)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB500-523

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

