Product Datasheet

MMR/CD206/Mannose Receptor Antibody (15-2) NB600-1415

Unit Size: 0.05 mg

Store at 4C.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB600-1415

Updated 9/25/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB600-1415



NB600-1415

MMR/CD206/Mannose Receptor Antibody (15-2)

| www.cbzoo/wannose Receptor Antibody (15-2) | |
|---|--|
| Product Information | |
| 0.05 mg | |
| 0.1 mg/ml | |
| Store at 4C. | |
| Monoclonal | |
| 15-2 | |
| 0.02% Sodium Azide | |
| IgG1 | |
| Protein G purified | |
| PBS containing 0.1% BSA | |
| Product Description | |
| Mouse | |
| 4360 | |
| MRC1 | |
| Human | |
| Purified human mannose receptor from human placental tissue | |
| Product Application Details | |
| Western Blot, Flow Cytometry, Functional, Immunohistochemistry, Immunohistochemistry-Frozen | |
| Western Blot 1:10-1:100, Flow Cytometry 1:10-1:1000, Immunohistochemistry 1:10-1:500, Immunohistochemistry-Frozen 1:10-1:100, Functional | |
| For IHC-F: Tissue sections were fixed in acetone/chloroform. Sections were preincubated with normal rabbit serum. For FC: Antibody 15-2 stains the extracellular domain of MR. WB: A non-reduced sample treatment and 6% SDS-Page was used. The band size is 175 kDa. | |
| | |




Images

Immunohistochemistry-Frozen: MMR/CD206/Mannose Receptor Antibody (15-2) [NB600-1415] - Frozen sections of human tonsil. NB600-1415 was used in a dilution of 1/25 and stains endothelia of lymph vessels strongly.



Immunohistochemistry-Frozen: MMR/CD206/Mannose Receptor Antibody (15-2) [NB600-1415] - staining Mannose Receptor in human mammary gland tissue section by Immunohistochemistry (Frozen sections). Tissue samples were fixed with 70% Ethanol and blocking for 10 minutes at RT was performed. The sample was incubated with primary antibody (1/10) for 1 hour. A HRP-conjugated mouse polyclonal to mouse IgG was used undiluted as secondary antibody.



Publications

Diep YN, Park HJ, Kwon JH et al. Astrocytic scar restricting glioblastoma via glutamate-MAO-B activity in glioblastoma-microglia assembloid Biomaterials research 2023-07-19 [PMID: 37468961] (IHC-P, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB600-1415

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NBP1-90020PEP MMR/CD206/Mannose Receptor Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB600-1415

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

