Product Datasheet

DYKDDDK Epitope Tag Antibody [Agarose] NB600-351

Unit Size: 0.1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Reviews: 2 Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB600-351

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB600-351



NB600-351

DYKDDDDK Epitope Tag Antibody [Agarose]


11 21		
Product Information		
Unit Size	0.1 mg	
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.	
Storage	Store at 4C. Do not freeze.	
Clonality	Polyclonal	
Preservative	0.09% Sodium Azide	
Isotype	IgG	
Conjugate	Agarose	
Purity	Immunogen affinity purified	
Buffer	PBS	
Target Molecular Weight	1.01 kDa	
Design of Description		

Goat
Epitope Tag
DYKDDDDK Epitope Tag Antibody reacts with FLAG.
To produce DYKDDDDK Epitope Tag Antibody, Goats were immunized with ECS, Enterokinase Cleavage Site (xxxDDDDK), conjugated to KLH. Antibody was isolated by affinity chromatography using the peptide immobilized on solid support.
FLAG(R) and ANTI-FLAG(R) are registered trademarks of Sigma-Aldrich Co. LLC.

Product Application Details	
Applications	Western Blot, Immunoprecipitation
Recommended Dilutions	Western Blot 1:100-1:2000, Immunoprecipitation
Application Notes	Final concentration is 0.1mg antibody in 0.4ml of 50% slurry containing 0.2ml agarose. For IP use 15 to 25 ul of gel slurry per 0.1 to 1 mg of protein lysate or extract. Immunoprecipitation was reported in scientific literature (PMID: 23178883) and a Verified Customer Review.

Images

Western Blot: DYKDDDK Epitope Tag Antibody [Agarose] [NB600-351] - WB analysis of DYKDDDK in transfected COS-7 cells using [NB600-351]. Image from verified customer review.





Publications

Yun HJ, Park J, Ho DH et al. LRRK2 phosphorylates Snapin and inhibits interaction of Snapin with SNAP-25. Exp Mol Med 2013-06-10 [PMID: 23949442]

Mallilankaraman K, Cardenas C, Doonan PJ et al. MCUR1 is an essential component of mitochondrial Ca(2+) uptake that regulates cellular metabolism Nat Cell Biol 2012-12-01 [PMID: 23178883] (IP, Primate)



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB600-351

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

