Product Datasheet

Adenosine A2b R Antibody NB600-797

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB600-797

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NB600-797



NB600-797

Adenosine A2b R Antibody


Addition N25 It / Ittibody	
Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Product Description	
Host	Goat
Gene ID	136
Gene Symbol	ADORA2B
Species	Human
Immunogen	Peptide with sequence CQADVKSGNGQ corresponding to C-Terminus according to NP_000667.1.
Product Application Details	
Applications	Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA
Recommended Dilutions	Flow Cytometry 10ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunocytochemistry/ Immunofluorescence 2-4ug/ml, Immunohistochemistry-Paraffin 3 ug/ml, Peptide ELISA detection limit 1:64000
Application Notes	IHC: In paraffin embedded Human Kidney shows cytoplasm staining in cells of renal tubules Immunofluorescence: Strong expression of the protein seen in the cytoplasm of A431 and U2OS cells.

Flow Cytometry: Flow cytometric analysis of Kelly cells.




Images


Immunocytochemistry/Immunofluorescence: Adenosine A2b R Antibody [NB600-797] - analysis of paraformaldehyde fixed U2OS cells, permeabilized with 0.15% Triton. Primary incubation 1hr (10ug/ml followed by Alexa Fluor 488 secondary antibody (2ug/ml, showing cytoplasmic staining. The nuclear stain is DAPI (blue)




Immunohistochemistry-Paraffin: Adenosine A2b R Antibody [NB600-797] - (2ug/ml) staining of paraffin embedded Human Kidney. Steamed antigen retrieval with citrate buffer pH 6, HRP-staining.



Flow Cytometry: Adenosine A2b R Antibody [NB600-797] - analysis of paraformaldehyde fixed Kelly cells (blue line), permeabilized with 0.5% Triton. Primary incubation 1hr (10ug/ml followed by Alexa Fluor 488 secondary antibody (2ug/ml). IgG control: Unimmunized goat IgG (black line)



Immunocytochemistry/Immunofluorescence: Adenosine A2b R Antibody [NB600-797] - analysis of paraformaldehyde fixed A431 cells, permeabilized with 0.15% Triton. Primary incubation 1hr (10ug/ml followed by Alexa Fluor 488 secondary antibody (2ug/ml, showing cytoplasmic staining. The nuclear stain is DAPI (blue)



Publications

Simard T, Jung R, Di Santo P et al. Dipyridamole and vascular healing following stent implantation Frontiers in cardiovascular medicine 2023-09-08 [PMID: 37745122] (IHC, KD, WB, Rabbit)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NB600-797

NBL1-07351 Adenosine A2b R Overexpression Lysate

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB600-797

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



