

# Product Datasheet

## Laminin Antibody (LAM-89)

### NB600-883

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

**Publications: 5**

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NB600-883](http://www.novusbio.com/NB600-883)

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NB600-883](http://www.novusbio.com/reviews/destination/NB600-883)



**NB600-883****Laminin Antibody (LAM-89)**


<b>Product Information</b>	
<b>Unit Size</b>	0.1 ml
<b>Concentration</b>	This product is unpurified. The exact concentration of antibody is not quantifiable.
<b>Storage</b>	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
<b>Clonality</b>	Monoclonal
<b>Clone</b>	LAM-89
<b>Preservative</b>	0.9% Sodium Azide
<b>Isotype</b>	IgG1
<b>Purity</b>	Unpurified
<b>Buffer</b>	Ascites
<b>Target Molecular Weight</b>	337 kDa
<b>Product Description</b>	
<b>Host</b>	Mouse
<b>Gene ID</b>	284217
<b>Gene Symbol</b>	LAMA1
<b>Species</b>	Human, Mouse, Porcine, Feline, Fish, Canine (Negative), Chicken (Negative), Guinea Pig (Negative), Goat (Negative), Rabbit (Negative), Reptile (Negative), Rat (Negative), Sheep (Negative)
<b>Reactivity Notes</b>	Should not react with carp, lizard, frog, snake. Stains basal membranes of human, pig and cat. Fish reactivity reported in scientific literature (PMID: 26517388). Human and mouse reactivity reported in scientific literature.
<b>Marker</b>	Basement Membrane Marker
<b>Specificity/Sensitivity</b>	Laminin Antibody (LAM-89) specificity was determined by immunoperoxidase and immunofluorescent labeling of protease-digested, formalin-fixed, paraffin-embedded human or animal tissue sections, localizing specifically the basal membrane of blood vessels, epithelium, nerve, and muscle tissues. Localizes specifically in the basal membrane of blood vessels, epithelium, nerve and muscle fibers. Shows no cross-reaction with collagen type IV, fibronectin, vitronectin or chondroitin sulfates type A, B and C using a dot blot immunoassay. This antibody may be used for identification of laminin in various human tissues and bodily fluids.
<b>Immunogen</b>	Laminin Antibody (LAM-89) is derived from the hybridoma produced by the fusion of mouse myeloma cells and splenocytes from an immunized mouse.
<b>Product Application Details</b>	
<b>Applications</b>	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
<b>Recommended Dilutions</b>	Western Blot, ELISA, Immunohistochemistry 1:1000, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin 1:1000

**Application Notes**


Use in ICC/IF reported in scientific literature. Use in IHC-P reported in scientific literature (PMID: 26517388). Can be used for protease-digested formalin-fixed, paraffin embedded human or animal tissue sections. Localizes the basal membrane of blood vessels, epithelium, nerve, and muscle fibers. IHC-P: This concentration was determined by immunoperoxidase staining of protease-digested human tissue. Antigen unmasking is critical in using this product. Optimal dilutions/concentrations should be determined by the end user. indirect ELISA: suitable

**Images**

Immunohistochemistry: Laminin Antibody (LAM-89) [NB600-883] - Formalin-fixed, paraffin-embedded human tongue section, enzyme-treated was stained with 1:2,000 Monoclonal Anti-Laminin Clone: LAM-89. The antibody was developed using Goat Anti-Mouse IgG, Cy3 conjugate.



Immunohistochemistry: Laminin Antibody (LAM-89) [NB600-883] - Analysis in human placenta section with Laminin Antibody (LAM-89) [NB600-883]

**Publications**

Taye N, Singh M, Baldock C, Hubmacher D Secreted ADAMTS-like 2 promotes myoblast differentiation by potentiating WNT signaling Matrix biology : journal of the International Society for Matrix Biology 2023-06-01 [PMID: 37187448] (IHC, Mouse)

Khan M, Ashraf M Human iPS Cells Derived Skeletal Muscle Progenitor Cells Promote Myoangiogenesis and Restore Dystrophin in Duchenne Muscular Dystrophic Mice Stem Cell Res Ther 2021-02-13 [PMID: 33579366]

Lau S, Gossen M, Lendlein A, Jung F Venous and Arterial Endothelial Cells from Human Umbilical Cords: Potential Cell Sources for Cardiovascular Research International journal of molecular sciences 2021-01-19 [PMID: 33478148] (ICC/IF, Human)

Balan E, De Groote E, Bouillon M et al. No effect of the endurance training status on senescence despite reduced inflammation in skeletal muscle of older individuals Am. J. Physiol. Endocrinol. Metab. 2020-07-21 [PMID: 32691630] (ICC/IF, Human)

Gurcu B, Koca YB, Ozkut M, Tuglu MI. Matrix changes due to the toxic effects of metronidazole in intestinal tissue of fish (Onchorhynchus mykiss). Chemosphere. 2015-10-24 [PMID: 26517388] (IHC-P, Fish)



### Novus Biologicals USA

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### Bio-Techne Canada

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### Bio-Techne Ltd

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### General Contact Information

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### Products Related to NB600-883

---

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NBP2-42389PEP	Laminin Recombinant Protein Antigen

---

### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NB600-883](http://www.novusbio.com/reviews/submit/NB600-883)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

