Product Datasheet

Goat anti-Rat IgG (H+L) Secondary Antibody [HRP] (Preadsorbed) NB710-4240

Unit Size: 0.2 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB710-4240

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB710-4240

NB710-4240

Goat anti-Rat IgG (H+L) Secondary Antibody [HRP] (Pre-adsorbed)

5 ()	
Product Information	
Unit Size	0.2 mg
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.01% Gentamicin Sulfate
Isotype	IgG
Conjugate	HRP
Purity	Multi-step
Buffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free
Product Description	
Description	For extended storage aliquot contents and freeze at -20C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room
	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti- Peroxidase, anti-Goat Serum, Rat IgG and Rat Serum
Host	Goat
Species	Rat
Specificity/Sensitivity	This antibody was pre-adsorbed against Bovine, Chicken, Goat, Guinea Pig, Hamster, Horse, Human, Mouse, Rabbit, and Sheep Serum Proteins. No reaction was observed against Bovine, Chicken, Goat, Guinea Pig, Hamster,
Immunogen	Horse, Human, Mouse, Rabbit and Sheep Serum Proteins. Goat anti-Rat IgG (H+L) Secondary Antibody [HRP] (Pre-adsorbed) was
ininunogen	produced by repeated immunization with Rat IgG whole molecule in goat.
Product Application Details	
Applications	Western Blot, ELISA, Immunohistochemistry
Recommended Dilutions	Western Blot 1:2000 - 1:10000, ELISA 1:70000, Immunohistochemistry 1:500 - 1:1500
Application Notes	This product has been tested by ELISA and western blot and is suitable for immunoblotting (western or dot blot), ELISA, immunoperoxidase electron microscopy and immunohistochemistry as well as other peroxidase-antibody based enzymatic assays requiring lot-to-lot consistency. NOTE: Do NOT add Sodium Azide (it inhibits HRP irreversibly).



Images

Western Blot: Goat anti-Rat IgG (H+L) Secondary Antibody [HRP] (PrekDa 1 adsorbed) [NB710-4240] - Western Blot of Goat anti-Rat IgG (H+L) 250 -Secondary Antibody [HRP] (Pre-adsorbed). Lane 1: Rat IgG. Lane 2: 130 none. Load: 50 ng per lane. Primary antibody: none. Secondary antibody: Goat anti-Rat IgG (H+L) Secondary Antibody [HRP] (Pre-100 adsorbed) at 1:1000 for 60 min at RT. Block: Fluorescent blocking buffer 70 for 30 min at RT. Predicted/Observed size: 55 kDa, 28 kDa for Rat IgG. 55 -Other band(s): none. 35 -25 15 -Western Blot of Goat anti-Rat IgG (H+L) Secondary Antibody [HRP] 2 3 kDa M 1 4 5 (Pre-adsorbed) 150 - ____ 100 -80 -60 -50 -40 -30 -20 -





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB710-4240

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

