# **Product Datasheet**

# Goat anti-Rabbit IgG (H+L) Secondary Antibody [DyLight 488] NB7156G

Unit Size: 1 ml

Store at 4C in the dark.

www.novusbio.com

tec

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB7156G

Updated 9/6/2024 v.20.1

Earn rewards for product reviews and publications.

reviews and publications. Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB7156G



### NB7156G

Goat anti-Rabbit IgG (H+L) Secondary Antibody [DyLight 488]

| 5-( )                       |   |
|-----------------------------|---|
| Product Information         |   |
| Unit Size                   | 1 ml  |
| Concentration               | Please see the vial label for concentration. If unlisted please contact technical services.   |
| Storage                     | Store at 4C in the dark.  |
| Clonality                   | Polyclonal  |
| Preservative                | 0.05% Sodium Azide  |
| Isotype                     | IgG   |
| Conjugate                   | DyLight 488   |
| Purity                      | Immunogen affinity purified   |
| Buffer                      | 50mM Sodium Borate  |
| Product Description         |   |
| Host                        | Goat  |
| Species                     | Rabbit  |
| Specificity/Sensitivity     | By immunoelectrophoresis and ELISA this Goat anti-Rabbit IgG (H+L)<br>Secondary Antibody reacts specifically with rabbit IgG and with light chains<br>common to other rabbit immunoglobulins. No was detected against non-<br>immunoglobulin serum proteins. This may cross react with IgG from other<br>species. |
| Immunogen                   | This Goat anti-Rabbit IgG (H+L) Secondary Antibody was developed against rabbit IgG-heavy and light chain.  |
| Notes                       | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.   |
| Product Application Details |   |
| Applications                | Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/<br>Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin  |
| Recommended Dilutions       | Western Blot, Flow Cytometry, ELISA, Immunohistochemistry,<br>Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin  |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined.  |
|                             |   |





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

# **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

# **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB7156G

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

