

Product Datasheet

Rabbit anti-Goat IgG (H+L) Secondary Antibody NB7348

Unit Size: 1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Publications: 6

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB7348

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB7348



NB7348**Rabbit anti-Goat IgG (H+L) Secondary Antibody**

Product Information	
Unit Size	1 ml
Concentration	1.0 mg/ml
Storage	Store at 4C in the dark.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Purity	Immunogen affinity purified
Buffer	Phosphate Buffered Saline (PBS)
Product Description	
Host	Rabbit
Species	Goat
Specificity/Sensitivity	By immunoelectrophoresis and ELISA this Rabbit anti-Goat IgG (H+L) Secondary Antibody reacts specifically with goat IgG and with light chains common to other goat immunoglobulins. No was detected against non-immunoglobulin serum proteins. This may cross react with IgG from other species.
Immunogen	This Rabbit anti-Goat IgG (H+L) Secondary Antibody was developed against goat IgG-heavy and light chain.
Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:1000-1:30000, ELISA Coating - 1:100-1:500 Primary - 1:1000-1:30000, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:200- 1:2000, Immunohistochemistry-Paraffin 1:200- 1:2000



Publications

Kato T, Yamada A, Sasa K et al. Nephronectin Expression is Inhibited by Inorganic Phosphate in Osteoblasts *Calcif Tissue Int* 2018-10-21 [PMID: 30341591]

Kato T, Yamada A, Ikehata M et al. FGF-2 suppresses expression of nephronectin via JNK and PI3K pathways *FEBS Open Bio* 2018-05-11 [PMID: 29744297] (WB)

Jin S, Zhu F, Wang Y et al. Deletion of Indian hedgehog gene causes dominant semi-lethal Creeper trait in chicken. *Sci Rep.* [PMID: 27439785] (WB)

Details:

Citation using the HRP form of this antibody.

Li R, Ma Y, Zhai L et al. Enhanced immune response to foot-and-mouth disease vaccine by oral administration of ginseng stem-leaf saponins. *Immunopharmacol Immunotoxicol.* [PMID: 27216768]

Details:

Citation using the HRP form of this antibody.

Nolasco LH, Turner NA, Bernardo A et al. Hemolytic uremic syndrome-associated Shiga toxins promote endothelial-cell secretion and impair ADAMTS13 cleavage of unusually large von Willebrand factor multimers. *Blood.* [PMID: 16131569]

Details:

Citation using the HRP form of this antibody.

Yamagami S, Yokoo S, Mimura T et al. Effects of TGF-beta2 on immune response-related gene expression profiles in the human corneal endothelium. *Invest Ophthalmol Vis Sci.* [PMID: 14744893]

Details:

Citation using the HRP form of this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-
techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB7348

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

