Product Datasheet

Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] NB7352

Unit Size: 1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 6

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB7352

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB7352



NB7352

Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP]

Product Information	Rabbit anti-Goat 1gG (H+L) Secondary Antibody [HRP]	
Concentration Storage Store at 4C. Do not freeze. Clonality Polyclonal Preservative 0.1% Pro-Clean 400 Conjugate HRP Purity Immunogen affinity purified Buffer Phosphate Buffered Saline (PBS) Product Description Host Rabbit Species Goat Specificity/Sensitivity By immunoelectrophoresis and ELISA this Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] reacts specifically with goat IgG and with light chair common to other goat immunoglobulins. No was detected against non-immunoglobulin serum proteins. This may cross react with IgG from other species. Immunogen This Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] was developed against goat IgG-heavy and light chain. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry/ Immunofluorescence 1:100 - 1:500, Immunohistory-Paraffin 1:200 -	Product Information	
Storage Store at 4C. Do not freeze. Clonality Polyclonal Preservative 0.1% Pro-Clean 400 Conjugate HRP Purity Immunogen affinity purified Buffer Phosphate Buffered Saline (PBS) Product Description Host Rabbit Rabbit Species Goat Specificity/Sensitivity By immunoelectrophoresis and ELISA this Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] reacts specifically with goat IgG and with light chair common to other goat immunoglobulins. No was detected against non-immunoglobulin serum proteins. This may cross react with IgG from other species. Immunogen This Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] was developed against goat IgG-heavy and light chain. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:5000 - 1:5000, Immunocytochemistry/ Immunofluorescence 1:100 - 1:500, Immunohistochemistry-Paraffin 1:200 -	Unit Size	1 ml
Clonality Polyclonal Preservative 0.1% Pro-Clean 400 Conjugate HRP Purity Immunogen affinity purified Buffer Phosphate Buffered Saline (PBS) Product Description Host Rabbit Species Goat Specificity/Sensitivity By immunoelectrophoresis and ELISA this Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] reacts specifically with goat IgG and with light chair common to other goat immunoglobulins. No was detected against non-immunoglobulin serum proteins. This may cross react with IgG from other species. Immunogen This Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] was developed against goat IgG-heavy and light chain. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:5000 - 1:5000, Immunocytochemistry/ Immunofluorescence 1:100 - 1:500, Immunocytochemistry-Paraffin 1:200 -	Concentration	1.0 mg/ml
Preservative O.1% Pro-Clean 400 HRP Purity Immunogen affinity purified Buffer Phosphate Buffered Saline (PBS) Product Description Host Rabbit Species Goat Specificity/Sensitivity By immunoelectrophoresis and ELISA this Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] reacts specifically with goat IgG and with light chair common to other goat immunoglobulins. No was detected against non-immunoglobulin serum proteins. This may cross react with IgG from other species. Immunogen This Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] was developed against goat IgG-heavy and light chain. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:5000 - 1:5000, ELISA 1:10000-1:100000, Immunohistochemistry 1:100 - 1:500, Immunocytochemistry/ Immunohistochemistry/	Storage	Store at 4C. Do not freeze.
Conjugate HRP Purity Immunogen affinity purified Buffer Phosphate Buffered Saline (PBS) Product Description Host Rabbit Species Goat Specificity/Sensitivity By immunoelectrophoresis and ELISA this Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] reacts specifically with goat IgG and with light chair common to other goat immunoglobulins. No was detected against non-immunoglobulin serum proteins. This may cross react with IgG from other species. Immunogen This Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] was developed against goat IgG-heavy and light chain. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:5000 - 1:5000, ELISA 1:10000-1:100000, Immunofluorescence 1:100 - 1:500, Immunohistochemistry-Paraffin 1:200 -	Clonality	Polyclonal
Purity Buffer Phosphate Buffered Saline (PBS) Product Description Host Species Goat Specificity/Sensitivity By immunoelectrophoresis and ELISA this Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] reacts specifically with goat IgG and with light chair common to other goat immunoglobulins. No was detected against non-immunoglobulin serum proteins. This may cross react with IgG from other species. Immunogen This Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] was developed against goat IgG-heavy and light chain. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:5000 - 1:5000, ELISA 1:10000-1:100000, Immunohistochemistry 1:100 - 1:500, Immunocytochemistry/ Immunofluorescence 1:100 - 1:500, Immunohistochemistry-Paraffin 1:200 -	Preservative	0.1% Pro-Clean 400
Buffer Phosphate Buffered Saline (PBS) Product Description Host Rabbit Species Goat Specificity/Sensitivity By immunoelectrophoresis and ELISA this Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] reacts specifically with goat IgG and with light chair common to other goat immunoglobulins. No was detected against non-immunoglobulin serum proteins. This may cross react with IgG from other species. Immunogen This Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] was developed against goat IgG-heavy and light chain. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:5000 - 1:5000, ELISA 1:10000-1:100000, Immunohistochemistry 1:100 - 1:500, Immunohistochemistry-Paraffin 1:200 -	Conjugate	HRP
Product Description Host Rabbit Species Goat Specificity/Sensitivity By immunoelectrophoresis and ELISA this Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] reacts specifically with goat IgG and with light chair common to other goat immunoglobulins. No was detected against non-immunoglobulin serum proteins. This may cross react with IgG from other species. Immunogen This Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] was developed against goat IgG-heavy and light chain. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:5000 - 1:5000, ELISA 1:10000-1:100000, Immunohistochemistry 1:100 - 1:500, Immunohistochemistry-Paraffin 1:200 -	Purity	Immunogen affinity purified
Host Species Goat Specificity/Sensitivity By immunoelectrophoresis and ELISA this Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] reacts specifically with goat IgG and with light chair common to other goat immunoglobulins. No was detected against non- immunoglobulin serum proteins. This may cross react with IgG from other species. Immunogen This Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] was developed against goat IgG-heavy and light chain. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:5000 - 1:50000, ELISA 1:10000-1:100000, Immunohistochemistry 1:100 - 1:500, Immunocytochemistry-Paraffin 1:200 -	Buffer	Phosphate Buffered Saline (PBS)
Specificity/Sensitivity By immunoelectrophoresis and ELISA this Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] reacts specifically with goat IgG and with light chair common to other goat immunoglobulins. No was detected against non- immunoglobulin serum proteins. This may cross react with IgG from other species. Immunogen This Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] was developed against goat IgG-heavy and light chain. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 1:5000 - 1:50000, ELISA 1:10000-1:100000, Immunohistochemistry 1:100 - 1:500, Immunocytochemistry/ Immunofluorescence 1:100 - 1:500, Immunohistochemistry-Paraffin 1:200 -	Product Description	
Specificity/Sensitivity By immunoelectrophoresis and ELISA this Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] reacts specifically with goat IgG and with light chair common to other goat immunoglobulins. No was detected against non- immunoglobulin serum proteins. This may cross react with IgG from other species. Immunogen This Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] was developed against goat IgG-heavy and light chain. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 1:5000 - 1:50000, ELISA 1:10000-1:100000, Immunohistochemistry 1:100 - 1:500, Immunocytochemistry/ Immunofluorescence 1:100 - 1:500, Immunohistochemistry-Paraffin 1:200 -	Host	Rabbit
Secondary Antibody [HRP] reacts specifically with goat IgG and with light chair common to other goat immunoglobulins. No was detected against non-immunoglobulin serum proteins. This may cross react with IgG from other species. Immunogen This Rabbit anti-Goat IgG (H+L) Secondary Antibody [HRP] was developed against goat IgG-heavy and light chain. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:5000 - 1:50000, ELISA 1:10000-1:100000, Immunohistochemistry 1:100 - 1:500, Immunocytochemistry/ Immunofluorescence 1:100 - 1:500, Immunohistochemistry-Paraffin 1:200 -	Species	Goat
against goat IgG-heavy and light chain. Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:5000 - 1:50000, ELISA 1:10000-1:100000, Immunohistochemistry 1:100 - 1:500, Immunocytochemistry/ Immunofluorescence 1:100 - 1:500, Immunohistochemistry-Paraffin 1:200 -	Specificity/Sensitivity	Secondary Antibody [HRP] reacts specifically with goat IgG and with light chains common to other goat immunoglobulins. No was detected against non-immunoglobulin serum proteins. This may cross react with IgG from other
Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Western Blot 1:5000 - 1:50000, ELISA 1:10000-1:100000, Immunohistochemistry 1:100 - 1:500, Immunocytochemistry/ Immunofluorescence 1:100 - 1:500, Immunohistochemistry-Paraffin 1:200 -	Immunogen	
Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:5000 - 1:50000, ELISA 1:10000-1:100000, Immunohistochemistry 1:100 - 1:500, Immunocytochemistry/ Immunofluorescence 1:100 - 1:500, Immunohistochemistry-Paraffin 1:200 -	Product Application Details	
Immunohistochemistry 1:100 - 1:500, Immunocytochemistry/ Immunofluorescence 1:100 - 1:500, Immunohistochemistry-Paraffin 1:200 -	Applications	
	Recommended Dilutions	Immunohistochemistry 1:100 - 1:500, Immunocytochemistry/ Immunofluorescence 1:100 - 1:500, Immunohistochemistry-Paraffin 1:200 -



Publications

Kato T, Yamada A, Sasa K et al. Nephronectin Expression is Inhibited by Inorganic Phosphate in Osteoblasts Calcif Tissue Int 2018-10-21 [PMID: 30341591]

Kato T, Yamada A, Ikehata M et al. FGF-2 suppresses expression of nephronectin via JNK and PI3K pathways FEBS Open Bio 2018-05-11 [PMID: 29744297] (WB)

Li R, Ma Y, Zhai L et al. Enhanced immune response to foot-and-mouth disease vaccine by oral administration of ginseng stem-leaf saponins. Immunopharmacol Immunotoxicol. [PMID: 27216768]

Details:

Citation using the HRP form of this antibody.

Jin S, Zhu F, Wang Y et al. Deletion of Indian hedgehog gene causes dominant semi-lethal Creeper trait in chicken. Sci Rep. [PMID: 27439785] (WB)

Details:

Citation using the HRP form of this antibody.

Nolasco LH, Turner NA, Bernardo A et al. Hemolytic uremic syndrome-associated Shiga toxins promote endothelial-cell secretion and impair ADAMTS13 cleavage of unusually large von Willebrand factor multimers. Blood. [PMID: 16131569]

Details:

Citation using the HRP form of this antibody.

Yamagami S, Yokoo S, Mimura T et al. Effects of TGF-beta2 on immune response-related gene expression profiles in the human corneal endothelium. Invest Ophthalmol Vis Sci. [PMID: 14744893]

Details:

Citation using the HRP form of this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB7352

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

