Product Datasheet

Rabbit anti-Mouse IgG (H+L) Secondary Antibody [HRP] NB7544

Unit Size: 1 ml

Store at 4C. Do not freeze.

www.novusbio.com

G

technical@novusbio.com

Publications: 10

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB7544

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB7544



NB7544

Rabbit anti-Mouse IgG (H+L) Secondary Antibody [HRP]

| o () | |
|-----------------------------|---|
| Product Information | |
| Unit Size | 1 ml |
| Concentration | 1.0 mg/ml |
| Storage | Store at 4C. Do not freeze. |
| Clonality | Polyclonal |
| Preservative | 0.05% Pro-Clean 400 |
| Conjugate | HRP |
| Purity | Immunogen affinity purified |
| Buffer | Phosphate Buffered Saline (PBS) containing 0.2%BSA |
| Product Description | |
| Host | Rabbit |
| Species | Mouse |
| Specificity/Sensitivity | By immunoelectrophoresis and ELISA this Rabbit anti-Mouse IgG (H+L) Secondary Antibody [HRP] reacts specifically with mouse IgG and with light chains common to other mouse immunoglobulins. No antibody was detected against non-immunoglobulin serum proteins. This antibody may cross react with IgG from other species. |
| Immunogen | This Rabbit anti-Mouse IgG (H+L) Secondary Antibody [HRP] was developed against mouse IgG-heavy and light chain. |
| Product Application Details | |
| Applications | Western Blot, Dot Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin |
| Recommended Dilutions | Western Blot 1:5000 - 1:50000, ELISA 1:10000- 1:100000, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1:200 - 1:5000, Immunohistochemistry-Paraffin 1:50 - 1:400, Dot Blot |

Images

Immunohistochemistry-Paraffin: Rabbit anti-Mouse IgG (H+L) Secondary Antibody [HRP] [NB7544] - Detection of human p53 by immunoperoxidase. Sample: FFPE section of human stomach carcinoma. Primary Antibody: mouse anti-p53 (Clone DO-1). Secondary Antibody: Rabbit anti-Mouse IgG (H+L) Secondary Antibody [HRP]. Detection: DAB Counterstain: IHC hematoxylin (blue)





Publications

Ilhan Tomris, Roosmarijn van der Woude, Rebeca de Paiva Froes Rocha, Alba Torrents de la Peña, Andrew B. Ward, Robert P. de Vries Viral envelope proteins fused to multiple distinct fluorescent reporters to probe receptor binding Protein Science : A Publication of the Protein Society 2024-03-27 [PMID: 38533540]

Tomris I, van der Woude R, de Paiva Droes Rocha R et al. Viral envelope proteins fused to multiple distinct fluorescent reporters to probe receptor binding bioRxiv 2023-10-24 (FLOW)

Ji Y, Liang Y, Chu PH Et al. The effects of intermittent hypoxia on hepatic expression of fatty acid translocase CD36 in lean and diet-induced obese mice Biomed J 2022-10-16 [PMID: 36244649] (WB)

Details:

Citation using the HRP version of this antibody.

van der Woude R, Turner HL, Tomris I et al. Drivers of recombinant soluble influenza A virus hemagglutinin and neuraminidase expression in mammalian cells Protein Sci. 2020-07-25 [PMID: 32710576] (ELISA)

Gunasekar P, Satish M, Dabestani P et al. Modulation of Cathepsin L Expression in the Coronary Arteries of Atherosclerotic Swine J Surg Res 2019-08-05 [PMID: 31377485] (WB)

Bullock JJ, Mehta SL, Lin Y et al. Hyperglycemia-enhanced ischemic brain damage in mutant manganese SOD mice is associated with suppression of HIF-1alpha Neurosci Lett 2009-05-12 [PMID: 19429140]

Qureshi H, Hamid SS, Ali SS et al. Cytotoxic effects of aflatoxin B1 on human brain microvascular endothelial cells of the blood-brain barrier Med. Mycol. [PMID: 25851265] (Cytometric Bead Assay Standard)

Details:

Citation using the HRP form of this antibody.

Freitas-Ribeiro GM, Fonseca CC, Sartori SS et al. Endocrine cells and nerve ganglia of the small intestine of the Opossum Didelphis aurita Wied-Neuwied, 1826 (Mammalia: Didelphidae). An Acad Bras Cienc. [PMID: 22801379]

Details:

Citation using the HRP form of this antibody.

Novaes RD, Goncalves RV, Penitente AR et al. Trypanosoma cruzi infection alters glucose metabolism at rest and during exercise without modifying the morphology of pancreatic islets in rats. Pathol Res Pract. [PMID: 22749578]

Details:

Citation using the HRP form of this antibody.

Basile DR, Novaes RD, Marques DC et al. Analysis of the morphology and distribution of argentaffin, argyrophil and insulin-immunoreactive endocrine cells in the small intestine of the adult opossum Didelphis aurita (Wied-Neuwied, 1826). Tissue Cell. [PMID: 22608000]

Details:

Citation using the HRP form of this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB7544

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

