## **Product Datasheet**

### Goat anti-Mouse IgG (H+L) Secondary Antibody [PerCP] NB7573PCP

Unit Size: 1 ml

Store at 4C in the dark.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB7573PCP

Updated 9/6/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB7573PCP



#### NB7573PCP

Goat anti-Mouse IgG (H+L) Secondary Antibody [PerCP]

|                             | , ,, ,   |
|-----------------------------|--|
| Product Information         |  |
| Unit Size                   | 1 ml   |
| Concentration               | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                     | Store at 4C in the dark.   |
| Clonality                   | Polyclonal   |
| Preservative                | 0.05% Sodium Azide   |
| Isotype                     | IgG  |
| Conjugate                   | PerCP  |
| Purity                      | Immunogen affinity purified  |
| Buffer                      | PBS  |
| Product Description         |  |
| Host                        | Goat   |
| Species                     | Mouse  |
| Specificity/Sensitivity     | By immunoelectrophoresis and ELISA this Goat anti-Mouse IgG (H+L)<br>Secondary Antibody (Pre-adsorbed) reacts specifically with mouse IgG and with<br>light chains common to other mouse immunoglobulins. No was detected against<br>non-immunoglobulin serum proteins. Antiserum was cross adsorbed using a<br>human immunosorbent to remove cross reactive Antibodies. Less than 0.1%<br>cross reactivity to human IgG was detected. |
| Immunogen                   | This Goat anti-Mouse IgG (H+L) Secondary Antibody (Pre-adsorbed) was developed against mouse IgG-heavy and light chain.  |
| Product Application Details |  |
| Applications                | Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence,<br>Immunohistochemistry, Immunohistochemistry-Paraffin   |
| Recommended Dilutions       | Western Blot, ELISA, Immunohistochemistry, Immunocytochemistry/<br>Immunofluorescence, Immunohistochemistry-Paraffin   |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined.   |
|                             |  |

www.novusbio.com





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB7573PCP

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

