Product Datasheet

Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP] (Pre-adsorbed) NB7574

Unit Size: 1 ml

Store at 4C. Do not freeze.

www.novusbio.com

technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB7574

Updated 9/29/2021 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NB7574



NB7574

Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP] (Pre-adsorbed)

Goat anti-mouse igG (II+L) Secondary Antibody [IIKF] (FIE-adsorbed)	
Product Information	
Unit Size	1 ml
Concentration	0.5 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.05% Pro-Clean 400
Isotype	IgG
Conjugate	HRP
Purity	Immunogen affinity purified
Buffer	Phosphate Buffered Saline (PBS) containing 0.2% BSA
Product Description	
Host	Goat
Species	Mouse
Specificity/Sensitivity	By immunoelectrophoresis and ELISA this Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP] (Pre-adsorbed) reacts specifically with mouse IgG and with light chains common to other mouse immunoglobulins. No was detected against non-immunoglobulin serum proteins. Antiserum was cross adsorbed using a human immunosorbent to remove cross reactive Antibodies. Less than 0.1% cross reactivity to human IgG was detected.
Immunogen	This Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP] (Pre-adsorbed) was developed against mouse IgG-heavy and light chain.
Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:5000 - 1:50000, ELISA 1:10000-1:100000, Immunohistochemistry 1:200 - 1:5000, Immunocytochemistry/Immunofluorescence 1:200 - 1:5000,

Publications

Ueda J, Uemura N, Ishimoto T et al. Ca2+ -Calmodulin-Calcineurin Signaling Modulates ?-Synuclein Transmission Movement disorders : official journal of the Movement Disorder Society 2023-04-17 [PMID: 37066491]

Immunohistochemistry-Paraffin 1:200 - 1:5000

Kaji S, Maki T, Ueda J et al. BCAS1-positive immature oligodendrocytes are affected by the alpha-synuclein-induced pathology of multiple system atrophy Acta Neuropathol Commun 2020-07-31 [PMID: 32727582] (WB)

Details:

This citation used the HRP format of this antibody.

Taguchi T, Ikuno M, Hondo M et al. alpha-Synuclein BAC transgenic mice exhibit RBD-like behaviour and hyposmia: a prodromal Parkinson's disease model Brain 2019-12-10 [PMID: 31816026] (WB)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Secondary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB7574

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

