Product Datasheet

Human Pancreas Whole Tissue Lysate (Adult Whole Liver Cirrhosis) NB820-59331

Unit Size: 1 mg

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NB820-59331

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB820-59331

NB820-59331

Human Pancreas Whole Tissue Lysate (Adult Whole Liver Cirrhosis)

Unit Size1 mgConcentration5.0 mg/mlStorageStore at -80C. Avoid freeze-thaw cycles.BufferHEPES (pH 7.9), MgCl2, KCl, EDTA, Sucrose, Glycerol, Sodium deoxycholate, NP-40, and a cocktail of protease inhibitorsProduct DescriptionWe recommend adding 1 x sample buffer with 5% BME (or other reducing agent) prior to use.SpeciesHumanSpecificity/SensitivityTotal Protein - Liver Cirrhosis: PancreasLysate TypeTissueLysate TissueDigestive/WasteLysate TissueDigestive/WasteLysate Subcellular FractionWholeProduct Application DetailsWestern BlotMeren BlotMeren Blot		
Concentration5.0 mg/mlStorageStore at -80C. Avoid freeze-thaw cycles.BufferHEPES (pH 7.9), MgCl2, KCl, EDTA, Sucrose, Glycerol, Sodium deoxycholate, NP-40, and a cocktail of protease inhibitorsProduct DescriptionWe recommend adding 1 x sample buffer with 5% BME (or other reducing agent) prior to use.SpeciesHumanSpecificity/SensitivityTotal Protein - Liver Cirrhosis: PancreasLysate TypeTissueLysate TissueDigestive/WasteLysate TissueDigestive/WasteLysate Tissue ConditionLiver CirrhosisLysate Life StageAdultVariate Protein StateNativeProduct Application DetailsWestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Product Information	
StorageStore at -80C. Avoid freeze-thaw cycles.BufferHEPES (pH 7.9), MgCl2, KCl, EDTA, Sucrose, Glycerol, Sodium deoxycholate, NP-40, and a cocktail of protease inhibitorsProduct DescriptionWe recommend adding 1 x sample buffer with 5% BME (or other reducing agent) prior to use.SpeciesHumanSpecificity/SensitivityTotal Protein - Liver Cirrhosis: PancreasLysate TypeTissueLysate TissueDigestive/WasteLysate TissueDigestive/WasteLysate TissueAdultLysate Subcellular FractionWholeProduct Application DetailsWestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Unit Size	1 mg
Buffer HEPES (pH 7.9), MgCl2, KCI, EDTA, Sucrose, Glycerol, Sodium deoxycholate, NP-40, and a cocktail of protease inhibitors Product Description We recommend adding 1 x sample buffer with 5% BME (or other reducing agent) prior to use. Species Human Specificity/Sensitivity Total Protein - Liver Cirrhosis: Pancreas Lysate Type Tissue Lysate Tissue Digestive/Waste Lysate Tissue Condition Liver Cirrhosis Lysate Tissue Condition Liver Cirrhosis Lysate Tissue Condition Liver Cirrhosis Lysate Subcellular Fraction Whole Product Application Details Western Blot Applications Western Blot Recommended Dilutions Western Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Concentration	5.0 mg/ml
NP-40, and a cocktail of protease inhibitorsProduct DescriptionWe recommend adding 1 x sample buffer with 5% BME (or other reducing agent) prior to use.SpeciesHumanSpecificity/SensitivityTotal Protein - Liver Cirrhosis: PancreasLysate TypeTissueLysate TissueDigestive/WasteLysate Tissue ConditionLiver CirrhosisLysate Tissue ConditionLiver CirrhosisLysate Life StageAdultLysate Subcellular FractionWholeProduct Application DetailsWestern BlotApplication NotesWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Storage	Store at -80C. Avoid freeze-thaw cycles.
DescriptionWe recommend adding 1 x sample buffer with 5% BME (or other reducing agent) prior to use.SpeciesHumanSpecificity/SensitivityTotal Protein - Liver Cirrhosis: PancreasLysate TypeTissueLysate TissueDigestive/WasteLysate Tissue ConditionLiver CirrhosisLysate Life StageAdultLysate Subcellular FractionWholeProduct Application DetailsWestern BlotApplication NotesWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Buffer	
prior to use.SpeciesHumanSpecificity/SensitivityTotal Protein - Liver Cirrhosis: PancreasLysate TypeTissueLysate TissueDigestive/WasteLysate Tissue ConditionLiver CirrhosisLysate StageAdultLysate Subcellular FractionWholeProduct Application DetailsWestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Product Description	
Specificity/SensitivityTotal Protein - Liver Cirrhosis: PancreasLysate TypeTissueLysate TissueDigestive/WasteLysate Tissue ConditionLiver CirrhosisLysate Tissue ConditionAdultLysate Life StageAdultLysate Protein StateNativeLysate Subcellular FractionWholeProduct Application DetailsWestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Description	
Lysate TypeTissueLysate TissueDigestive/WasteLysate Tissue ConditionLiver CirrhosisLysate Tissue ConditionLiver CirrhosisLysate Life StageAdultLysate Protein StateNativeLysate Subcellular FractionWholeProduct Application DetailsWestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Species	Human
Lysate TissueDigestive/WasteLysate Tissue ConditionLiver CirrhosisLysate Tissue ConditionAdultLysate Life StageAdultLysate Protein StateNativeLysate Subcellular FractionWholeProduct Application DetailsWestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Specificity/Sensitivity	Total Protein - Liver Cirrhosis: Pancreas
Lysate Tissue ConditionLiver CirrhosisLysate Life StageAdultLysate Protein StateNativeLysate Subcellular FractionWholeProduct Application DetailsWestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Lysate Type	Tissue
Lysate Life StageAdultLysate Protein StateNativeLysate Subcellular FractionWholeProduct Application DetailsWestern BlotApplicationsWestern BlotRecommended DilutionsWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Lysate Tissue	Digestive/Waste
Lysate Protein StateNativeLysate Subcellular FractionWholeProduct Application DetailsApplicationsWestern BlotRecommended DilutionsWestern BlotApplication NotesWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Lysate Tissue Condition	Liver Cirrhosis
Lysate Subcellular FractionWholeProduct Application DetailsApplicationsWestern BlotRecommended DilutionsWestern BlotApplication NotesWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Lysate Life Stage	Adult
Product Application Details Applications Western Blot Recommended Dilutions Western Blot Application Notes Western Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Lysate Protein State	Native
ApplicationsWestern BlotRecommended DilutionsWestern BlotApplication NotesWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Lysate Subcellular Fraction	Whole
Recommended DilutionsWestern BlotApplication NotesWestern Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Product Application Details	
Application Notes Western Blot, Immunoprecipitation, Electrophoresis, Enzymatic activity analysis,	Applications	Western Blot
	Recommended Dilutions	Western Blot
	Application Notes	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NB820-59331

NBP2-30191

Pancreas Tissue Slides (Normal)- Paraffin

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB820-59331

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

