Product Datasheet

ATG12 Overexpression Lysate NBL1-07795

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBL1-07795

Updated 11/9/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBL1-07795



NBL1-07795

ATG12 Overexpression Lysate


Product Information	
Jnit Size 0.1	mg
	e exact concentration of the protein of interest cannot be determined for erexpression lysates. Please contact technical support for more information.
Storage Sto	ore at -80C. Avoid freeze-thaw cycles.
Buffer RIF	PA buffer
Target Molecular Weight14.1	9 kDa
Product Description	
Description AT	G12 Transient Overexpression Lysate
Exp	pression Host: HEK293T
Pla	smid: RC202012
Acc	cession#: NM_004707
Pro	otein Tag: C-MYC/DDK
(10 con of 4	u will receive 1 vial of lysate (100ug), 1 vial of empty vector negative control loug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate ntains 100ug of total protein (at 1 mg/ml). The 2xSDS Sample Buffer consists 4% SDS, 125mM Tris-HCl pH6.8, 10% Glycerol, 0.002% Bromophenol blue, DmM DTT.
Sene ID 914	40
Gene Symbol ATC	G12
Species Hur	man
poly volu coll 150 PM	K293T cells in 10-cm dishes were transiently transfected with a non-lipid ymer transfection reagent specially designed and manufactured for large ume DNA transfection. Transfected cells were cultured for 48hrs before lection. The cells were lysed in modified RIPA buffer (25mM Tris-HCl pH7.6, DmM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix, 1mM ISF and 1mM Na3VO4, and then centrifuged to clarify the lysate. Protein incentration was measured by BCA protein assay kit.
ysate Type Ove	erexpression
Product Application Details	
Applications We	estern Blot
Recommended Dilutions We	estern Blot



Application Notes	This product is intended for use as a positive control in Western Blot. Overexpression of the target protein was confirmed using an antibody to DDK (FLAG) epitope tag (<u>NBP1-71705</u>) present on the protein construct.
	Each vial of cell lysate contains 100ug of total protein which should be sufficient for 20-50 reactions. Depending on over-expression level, antibody affinity and detection system, some lysates can go as low as 0.1 ug per load. We recommend starting with 5ug of cell lysate. Add an equal amount of cell lysate and 2X SDS Sample buffer and boil the SDS samples for 10 minutes before loading.

Images

Western Blot: ATG12 Overexpression Lysate (Adult Normal) [NBL1-07795] Left-Empty vector transfected control cell lysate (HEK293 cell lysate); Right -Over-expression Lysate for ATG12.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBL1-07795

H00009140-P01-10ug	Recombinant Human ATG12 GST (N-Term) Protein
H00008878-M01	p62/SQSTM1 Antibody (2C11)
NBP2-15501	ATG12 Antibody
NB100-2331	LC3A Antibody - BSA Free

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBL1-07795

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

