Product Datasheet

BCDIN3D Overexpression Lysate NBL1-07941

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBL1-07941

Updated 11/9/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBL1-07941



NBL1-07941

BCDIN3D Overexpression Lysate

Product Information	
Unit Size 0.1 m	Ig
	exact concentration of the protein of interest cannot be determined for expression lysates. Please contact technical support for more information.
Storage Store	at -80C. Avoid freeze-thaw cycles.
Buffer RIPA	buffer
Target Molecular Weight33 kI	Da
Product Description	
	DIN3D Transient Overexpression Lysate
Plasr	nid: RC208818
Acce	ssion#: NM_181708
Prote	in Tag: C-MYC/DDK
(100u conta of 4%	vill receive 1 vial of lysate (100ug), 1 vial of empty vector negative control ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate ins 100ug of total protein (at 1 mg/ml). The 2xSDS Sample Buffer consists o SDS, 125mM Tris-HCI pH6.8, 10% Glycerol, 0.002% Bromophenol blue, M DTT.
Gene ID 1442	33
Gene Symbol BCDI	N3D
Species Huma	an
polyn volun collec 150m PMS	293T cells in 10-cm dishes were transiently transfected with a non-lipid her transfection reagent specially designed and manufactured for large he DNA transfection. Transfected cells were cultured for 48hrs before ction. The cells were lysed in modified RIPA buffer (25mM Tris-HCl pH7.6, M NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix, 1mM F and 1mM Na3VO4, and then centrifuged to clarify the lysate. Protein entration was measured by BCA protein assay kit.
Lysate Type Over	expression
Product Application Details	
Applications West	ern Blot



This product is intended for use as a positive control in Western Blot. Overexpression of the target protein was confirmed using an antibody to DDK (FLAG) epitope tag (<u>NBP1-71705</u>) present on the protein construct.		
Each vial of cell lysate contains 100ug of total protein which should be sufficient for 20-50 reactions. Depending on over-expression level, antibody affinity and detection system, some lysates can go as low as 0.1 ug per load. We recommend starting with 5ug of cell lysate. Add an equal amount of cell lysate and 2X SDS Sample buffer and boil the SDS samples for 10 minutes before loading.		

Images

Western Blot: BCDIN3D Overexpression Lysate (Adult Normal) [NBL1-07941] Left-Empty vector transfected control cell lysate (HEK293 cell lysate); Right -Over-expression Lysate for BCDIN3D.

158-	- 14	
106 - 79 -		
48 —		
35 - 23 -	-	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBL1-07941

NBP2-22706	Recombinant Human BCDIN3D His Protein
DBD00	BDNF [HRP]
NBP1-85857	BCDIN3D Antibody
NBP1-71691-0.1mg	Dicer Antibody - BSA Free

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBL1-07941

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

