## **Product Datasheet**

### TCEAL2 Overexpression Lysate NBL1-16759

Unit Size: 0.1 mg

Store at -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBL1-16759

Updated 11/9/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBL1-16759



#### NBL1-16759

TCEAL2 Overexpression Lysate

Unit Size 0.1 mg				
<b>Concentration</b> The exact concentration of the protein of interest cannot be determined for overexpression lysates. Please contact technical support for more information	on.			
Storage Store at -80C. Avoid freeze-thaw cycles.				
Buffer RIPA buffer				
Target Molecular Weight25.7 kDa				
Product Description				
Description TCEAL2 Transient Overexpression Lysate				
Expression Host: HEK293T				
Plasmid: RC211139				
Accession#: NM_080390				
Protein Tag: C-MYC/DDK	Protein Tag: C-MYC/DDK			
You will receive 1 vial of lysate (100ug), 1 vial of empty vector negative cont (100ug), and 1 vial of 2xSDS sample buffer (250ul). Each vial of cell lysate contains 100ug of total protein (at 1 mg/ml). The 2xSDS Sample Buffer cons of 4% SDS, 125mM Tris-HCl pH6.8, 10% Glycerol, 0.002% Bromophenol bl 100mM DTT.	ists			
Gene ID 140597				
Gene Symbol TCEAL2				
Species Human	Human			
polymer transfection reagent specially designed and manufactured for large volume DNA transfection. Transfected cells were cultured for 48hrs before collection. The cells were lysed in modified RIPA buffer (25mM Tris-HCI pH 150mM NaCI, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix, 1	collection. The cells were lysed in modified RIPA buffer (25mM Tris-HCl pH7.6, 150mM NaCl, 1% NP-40, 1mM EDTA, 1xProteinase inhibitor cocktail mix, 1mM PMSF and 1mM Na3VO4, and then centrifuged to clarify the lysate. Protein			
Lysate Type Overexpression	Overexpression			
Product Application Details				
Applications Western Blot				
Recommended Dilutions Western Blot				



Each vial of cell lysate contains 100ug of total protein which should be sufficient for 20-50 reactions. Depending on over-expression level, antibody affinity and detection system, some lysates can go as low as 0.1 ug per load. We recommend starting with 5ug of cell lysate. Add an equal amount of cell lysate and 2X SDS Sample buffer and boil the SDS samples for 10 minutes before loading.	Application Notes	This product is intended for use as a positive control in Western Blot. Overexpression of the target protein was confirmed using an antibody to DDK (FLAG) epitope tag ( <u>NBP1-71705</u> ) present on the protein construct.
		for 20-50 reactions. Depending on over-expression level, antibody affinity and detection system, some lysates can go as low as 0.1 ug per load. We recommend starting with 5ug of cell lysate. Add an equal amount of cell lysate and 2X SDS Sample buffer and boil the SDS samples for 10 minutes before

#### Images

Western Blot: TCEAL2 Overexpression Lysate (Adult Normal) [NBL1-16759] Left-Empty vector transfected control cell lysate (HEK293 cell lysate); Right -Over-expression Lysate for TCEAL2.

158-	
106- 79-	
48 —	
35-	-
35- 23-	





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBL1-16759

H00140597-P01-10ug	Recombinant Human TCEAL2 GST (N-Term) Protein
NB100-56507	IkB-alpha Antibody (6A920) - BSA Free
NBP2-56423	TCEAL2 Antibody
NB100-65125	FoxP1 Antibody (JC12) - BSA Free

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBL1-16759

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

