

Product Datasheet

Proenkephalin Antibody NBP1-06066

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-06066

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-06066



NBP1-06066**Proenkephalin Antibody**

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA

Product Description	
Description	Novus Biologicals Goat Proenkephalin Antibody (NBP1-06066) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-Proenkephalin Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	5179
Gene Symbol	PENK
Species	Human
Immunogen	Peptide with sequence C-RSHHQDGSDNEE corresponding to internal region according to NP_006202.1.

Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Frozen, Peptide ELISA
Recommended Dilutions	Western Blot 1 - 3 ug/ml, Immunohistochemistry 0.3 - 1 ug/ml, Immunohistochemistry-Frozen 0.3 - 1 ug/ml, Peptide ELISA Detection limit 1:32000
Application Notes	WB: Approx. 37 kDa band observed in human adrenal gland lysates is reported in scientific literature (PMID: 9529003). IHC-Fr: Human hypothalamus shows staining of dense enkephalinergic axon plexus and scattered neuronal cell bodies (higher magnification inset) in the human infundibular nucleus.



Images

Western Blot: Proenkephalin Antibody [NBP1-06066] - (0.3ug/ml) staining of Human Adrenal Gland lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.


250kDa
150kDa
100kDa
75kDa

50kDa
37kDa

25kDa
20kDa

15kDa

Immunohistochemistry-Frozen: Proenkephalin Antibody [NBP1-06066] - Section of Human Hypothalamus shows staining of dense enkephalinergic axon plexus and scattered neuronal cell bodies (higher magnification inset) in the human infundibular nucleus.



Publications

Schiltz CA, Bremer QZ, Landry CF, Kelley AE. Food-associated cues alter forebrain functional connectivity as assessed with immediate early gene and proenkephalin expression. BMC Biol 2007-04-26 [PMID: 17462082]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-06066

NBL1-14289	Proenkephalin Overexpression Lysate
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-06066

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



