Product Datasheet

GABA-AR alpha 4 Antibody NBP1-18844

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-18844

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-18844



NBP1-18844

GABA-AR alpha 4 Antibody

according to NP_000800.2. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA Recommended Dilutions Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000 Application Notes WB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	CADA ATT dipita 4 Attitibody	
Concentration O.5 mg/ml Storage Store at -20C. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative O.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA Product Description Description Novus Biologicals Goat GABA-AR alpha 4 Antibody (NBP1-18844) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GABA-AR alpha 4 Antibody. Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Goat Gene ID 2557 Gene Symbol GABRA4 Species Human Immunogen Peptide with sequence C-EKAKRKTSKPPQE corresponding to internal region according to NP_000800.2. Product Application Details Applications Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000 Application Notes WB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Product Information	
Storage Store at -20C. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA Product Description Description Novus Biologicals Goat GABA-AR alpha 4 Antibody (NBP1-18844) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GABA-AR alpha 4 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Goat Gene ID 2557 Gene Symbol GABRA4 Species Human Immunogen Peptide with sequence C-EKAKRKTSKPPQE corresponding to internal region according to NP_000800.2. Product Application Details Applications Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000 Application Notes WB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Unit Size	0.1 mg
Clonality Polyclonal Preservative 0.02% Sodium Azide Isotype IgG Purity Immunogen affinity purified Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA Product Description Description Novus Biologicals Goat GABA-AR alpha 4 Antibody (NBP1-18844) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GABA-AR alpha 4 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Goat Gene ID 2557 Gene Symbol GABRA4 Species Human Immunogen Peptide with sequence C-EKAKRKTSKPPQE corresponding to internal region according to NP_000800.2. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA Recommended Dilutions Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000 Application Notes WB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Concentration	0.5 mg/ml
Preservative Isotype IgG Purity Immunogen affinity purified Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA Product Description Description Novus Biologicals Goat GABA-AR alpha 4 Antibody (NBP1-18844) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GABA-AR alpha 4 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Goat Gene ID 2557 Gene Symbol GABRA4 Species Human Immunogen Peptide with sequence C-EKAKRKTSKPPQE corresponding to internal region according to NP_000800.2. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA Recommended Dilutions Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000 Application Notes WB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Storage	Store at -20C. Avoid freeze-thaw cycles.
Isotype IgG	Clonality	Polyclonal
Purity Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA Product Description Description Novus Biologicals Goat GABA-AR alpha 4 Antibody (NBP1-18844) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GABA-AR alpha 4 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Goat Gene ID 2557 Gene Symbol GABRA4 Species Human Immunogen Peptide with sequence C-EKAKRKTSKPPQE corresponding to internal region according to NP_000800.2. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA Recommended Dilutions Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000 Application Notes WB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Preservative	0.02% Sodium Azide
Buffer Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA Product Description Novus Biologicals Goat GABA-AR alpha 4 Antibody (NBP1-18844) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GABA-AR alpha 4 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Goat Gene ID 2557 Gene Symbol GABRA4 Species Human Immunogen Peptide with sequence C-EKAKRKTSKPPQE corresponding to internal region according to NP_000800.2. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA Recommended Dilutions Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000 Application Notes WB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Isotype	IgG
Product Description Novus Biologicals Goat GABA-AR alpha 4 Antibody (NBP1-18844) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GABA-AR alpha 4 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Goat Gene ID 2557 Gene Symbol GABRA4 Species Human Immunogen Peptide with sequence C-EKAKRKTSKPPQE corresponding to internal region according to NP_000800.2. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA Recommended Dilutions Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000 Application Notes WB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Purity	Immunogen affinity purified
DescriptionNovus Biologicals Goat GABA-AR alpha 4 Antibody (NBP1-18844) is a polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GABA-AR alpha 4 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.HostGoatGene ID2557Gene SymbolGABRA4SpeciesHumanImmunogenPeptide with sequence C-EKAKRKTSKPPQE corresponding to internal region according to NP_000800.2.Product Application DetailsWestern Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISARecommended DilutionsWestern Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000Application NotesWB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GABA-AR alpha 4 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee. Host Goat Gene ID 2557 Gene Symbol GABRA4 Species Human Peptide with sequence C-EKAKRKTSKPPQE corresponding to internal region according to NP_000800.2. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA Recommended Dilutions Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000 Application Notes WB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Product Description	
Gene Symbol GABRA4 Species Human Peptide with sequence C-EKAKRKTSKPPQE corresponding to internal region according to NP_000800.2. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA Recommended Dilutions Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000 Application Notes WB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Description	polyclonal antibody validated for use in IHC, WB and ELISA. Anti-GABA-AR alpha 4 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are
Gene Symbol GABRA4 Species Human Peptide with sequence C-EKAKRKTSKPPQE corresponding to internal region according to NP_000800.2. Product Application Details Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA Recommended Dilutions Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000 Application Notes WB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Host	Goat
Species	Gene ID	2557
Peptide with sequence C-EKAKRKTSKPPQE corresponding to internal region according to NP_000800.2. Product Application Details	Gene Symbol	GABRA4
Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA Recommended Dilutions Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000 Application Notes WB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Species	Human
Applications Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000 Application Notes WB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Immunogen	Peptide with sequence C-EKAKRKTSKPPQE corresponding to internal region according to NP_000800.2.
Recommended Dilutions Western Blot 0.1 - 0.3 ug/ml, Immunohistochemistry 2 - 4 ug/ml, Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000 Application Notes WB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Product Application Details	
Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit 1:16000 Application Notes WB: Approx. 70 kDa band observed in human brain (cerebellum and frontal cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Peptide ELISA
cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2). IHC-P: Human cortex shows patchy staining near or at the neuronal cell	Recommended Dilutions	Immunohistochemistry-Paraffin 2 - 4 ug/ml, Peptide ELISA Detection limit
membrane.	Application Notes	cortex) lysates (calculated MW of 61.6 kDa band according to NP_000800.2).



Images

Western Blot: GABA-A R alpha 4 Antibody [NBP1-18844] - Analysis of GABA A Receptor alpha 4 in Human Frontal Cortex lysate (35ug protein in RIPA buffer) using this antibody at 0.1 ug/ml. Primary incubation was 1 hour. Detected by chemiluminescence.

250kDa 150kDa 100kDa

75kDa

50kDa


37kDa

25kDa

20kDa

15kDa

Immunohistochemistry-Paraffin: GABA-A R alpha 4 Antibody [NBP1-18844] - (2.5ug/ml) staining of paraffin embedded Human Cortex. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Publications

Ma DQ, Whitehead PL, Menold MM et al. Identification of significant association and gene-gene interaction of GABA receptor subunit genes in autism. Am J Hum Genet 2005-09-01 [PMID: 16080114]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-18844

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

DBD00 BDNF [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-18844

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



