Product Datasheet

Wnt-3a Antibody (3A6) - BSA Free NBP1-19050

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-19050

Updated 4/1/2022 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP1-19050



NBP1-19050

Application Notes

Wnt-3a Antibody (3A6) - BSA Free


Will-3a Affilloudy (3A6) - B3A Free	
Product Information	
Unit Size	0.1 ml
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	3A6
Preservative	0.02% Sodium Azide
Isotype	IgG2a Kappa
Purity	Protein G purified
Buffer	PBS (pH 7.4), 10% Glycerol
Product Description	
Host	Mouse
Gene ID	89780
Gene Symbol	WNT3A
Species	Human
Immunogen	Recombinant human Wnt-3a (19-352aa) purified from E. coli (NP_149122).
Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:1000-1:2000, ELISA 1:1000-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin 1:50-1:100SDS-PAGE 1:100-1:2000
41	

Use in ICC/IF reported in scientific literature (PMID 26708597)





Images

Western Blot: Wnt-3a Antibody (3A6) [NBP1-19050] - The cell lysates (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with Wnt-3a antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system. Lane 1: 293T cell lysate Lane 2: Wnt3a Transfected 293T cell lysate




Immunohistochemistry-Paraffin: Wnt-3a Antibody (3A6) [NBP1-19050] - Human breast cancer tissue were incubated with anti-human Wn-t3a for 2 hours at room temperature. Antigen retrieval was performed in 0.1M sodium citrate buffer and detected using Diaminobenzidine (DAB).





Western Blot: Wnt-3a Antibody (3A6) [NBP1-19050] - The lysates of A549 (20ug) were resolved by SDS-PAGE, transferred to NC membrane and probed with anti-human Wnt3a (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.



Publications

Cameron S Anti-Cancer and Stress Response Pathway Effects of Nanosilver and Sodium Ascorbate Carleton University 2022-07-11 (WB, Human)

Sheng J Cellular Effects Nanosilver on Cancer and Non-cancer Cells: Potential Environmental and Human Health Impacts Thesis

Denysenko T, Annovazzi L, Cassoni P et al. WNT/b-catenin Signaling Pathway and Downstream Modulators in Lowand High-grade Glioma. Cancer Genomics Proteomics. 2015-12-28 [PMID: 26708597] (WB, ICC/IF, IHC-P, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-19050

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-96981-0.5mg Mouse IgG2a Kappa Isotype Control (M2AK)

NBP1-74183PEP Wnt-3a Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-19050

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

