

Product Datasheet

S Opsin Antibody - Azide and BSA Free NBP1-20194

Unit Size: 0.5 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 9

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-20194

Updated 9/9/2025 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-20194



NBP1-20194

S Opsin Antibody - Azide and BSA Free

Product Information

Unit Size	0.5 mg
Concentration	LYOPH mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Reconstitution Instructions	Reconstitute 0.5 mg size in 0.5 ml of sterile water. Centrifuge to remove any insoluble material. Glycerol may be added (1:1) for additional stability. Please note the 0.1 mg size is provided in reconstituted format.
Isotype	IgG
Purity	Ammonium sulfate precipitation
Buffer	Lyophilized from PBS

Product Description

Description	Novus Biologicals Rabbit S Opsin Antibody - Azide and BSA Free (NBP1-20194) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-S Opsin Antibody: Cited in 9 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	611
Gene Symbol	OPN1SW
Species	Human, Mouse, Rat
Immunogen	A synthetic peptide from human OPSB conjugated to blue carrier protein was used as the antigen.


Product Application Details

Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 10-50 ug/ml, Immunohistochemistry 10-50 ug/ml, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin
Application Notes	Use in ICC/IF reported in scientific literature (PMID:32716032).




Images


Western Blot: S Opsin Antibody [NBP1-20194] - WB on tissue lysates.
Blocking with 1% LFDM for 30 min at RT; Primary antibody used at 1:500 dilution, incubated overnight at 4C.



Immunohistochemistry-Paraffin: S Opsin Antibody [NBP1-20194] -
Sections of mouse eye. Tris-EDTA, pH 9 for 20 min using Thermo PT Module. Blocking: 0.2% LFDM in TBST filtered thru 0.2 um. dilution 1: 500, incubated 30 min at RT using Autostainer. Sections were counterstained with Harris Hematoxylin.



Immunohistochemistry-Paraffin: S Opsin Antibody [NBP1-20194] -
Sections of mouse eye. HIER: Tris-EDTA, pH 9 for 20 min using Thermo PT Module. Blocking: 0.2% LFDM in TBST filtered thru 0.2 um. dilution 1: 500, incubated 30 min at RT using Autostainer. Sections were counterstained with Harris Hematoxylin.



Publications

Chen C, Rong Y, Zhuang Y et al. RNA-Seq Analysis Reveals an Essential Role of the cGMP-PKG-MAPK Pathways in Retinal Degeneration Caused by Cep250 Deficiency International Journal of Molecular Sciences 2023-05-16 [PMID: 37240188] (Mouse)

Guo D, Sun Y, Wu J et Al. Photoreceptor-targeted extracellular vesicles-mediated delivery of Cul7 siRNA for retinal degeneration therapy Theranostics 2024-01-01 [PMID: 39267786]

Bassetto M, Kolesnikov AV, Lewandowski D et Al. Dominant role for pigment epithelial CRALBP in supplying visual chromophore to photoreceptors Cell Rep 2024-06-27 [PMID: 38676924]

Huang M, Chow CH, Gurdita A et Al. SNAP-25, but not SNAP-23, is essential for photoreceptor development, survival, and function in mice Commun Biol 2024-01-05 [PMID: 38182732]

Sun X, Cui Z, Liang Y et al. One-stop assembly of adherent 3D retinal organoids from hiPSCs based on 3D-printed derived PDMS microwell platform Biofabrication 2023-04-11 [PMID: 36963105]

Su J, She K, Song L et al. In vivo base editing rescues photoreceptors in a mouse model of retinitis pigmentosa Molecular Therapy - Nucleic Acids 2023-03-01 [PMID: 36910709] (WB, Mouse)

Dezfuly AR, Safaee A, Amirpour N et al. Therapeutic effects of human adipose mesenchymal stem cells and their paracrine agents on sodium iodate induced retinal degeneration in rats Life sciences [PMID: 35469914] (IHC-P, Rat)

Strayve D, Makia MM, Kakakhel M et al. ROM1 contributes to phenotypic heterogeneity in PRPH2-associated retinal disease Hum. Mol. Genet. 2020-07-27 [PMID: 32716032] (ICC/IF)

Sharif AS, Yu D, Loertscher S, Austin R. C8ORF37 is required for photoreceptor outer segment disc morphogenesis by maintaining outer segment membrane protein homeostasis. J. Neurosci. 2018-02-13 [PMID: 29440555] (Mouse)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-20194

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP2-55602PEP	S Opsin Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-20194

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

