Product Datasheet

Rab5a Antibody NBP1-20255-0.025ml

Unit Size: 0.025 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-20255

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-20255



NBP1-20255-0.025ml


Rab5a Antibody

0.025 ml
This product is unpurified. The exact concentration of antibody is not quantifiable.
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Polyclonal
No Preservative
Reconstitute in 0.1 ml of sterile water. Centrifuge to remove any insoluble material. Glycerol may be added (1:1) for additional stability. Please note the sample size is provided in reconstituted format.
IgG
Unpurified
Lyophilized from whole antisera
Sheep
5868
RAB5A
Mouse, Rat
Early Endosome Marker
A synthetic peptide from the internal region of mouse Rab5a conjugated to an immunogenic carrier protein has been used as the antigen. The peptide is homologous in rat.
Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Western Blot 1:300 - 1:2000, Immunohistochemistry 1:300-1:2000, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin 1:300-1:2000

Images

Application Notes

Immunocytochemistry/Immunofluorescence: Rab5a Antibody [NBP1-20255] - Mouse bone marrow derived DCs stained with anti-Rab5a antibody. ICC/IF image submitted by a verified customer review.





Use in ICC/IF reported in scientific literature (PMID: 24554775).

Publications

Subhankar Dolai, Tao Liang, Abrahim I Orabi, Douglas Holmyard, Li Xie, Dafna Greitzer-Antes, Youhou Kang, Huanli Xie, Tanveer A Javed, Patrick P Lam, Deborah C Rubin, Peter Thorn, Herbert Y Gaisano Pancreatitis-Induced Depletion of Syntaxin 2 Promotes Autophagy and Increases Basolateral Exocytosis. Gastroenterology 2018-06-13 [PMID: 29360461]

Cao W, Ramakrishnan R, Tuyrin VA et al. Oxidized Lipids Block Antigen Cross-Presentation by Dendritic Cells in Cancer. J. Immunol. 2014-02-20 [PMID: 24554775] (ICC/IF, Mouse)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-20255-0.025ml

HAF016 Donkey anti-Sheep IgG Secondary Antibody [HRP]

NL010 Donkey anti-Sheep IgG Secondary Antibody [NL557]

NBP1-97055-10mg Sheep IgG Isotype Control

NBC1-18504 Recombinant Human Rab5a Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-20255

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

