Product Datasheet

MID1 Antibody - BSA Free NBP1-26612

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-26612

Updated 2/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-26612



NBP1-26612

MID1 Antibody - BSA Free

-		
Product Information		
Unit Size	100 ul	
Concentration	1.0 mg/ml	
Storage	Store at 4C. Do not freeze.	
Clonality	Polyclonal	
Preservative	0.09% Sodium Azide	
Isotype	IgG	
Purity	Immunogen affinity purified	
Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)	
Product Description		
Host	Rabbit	
Gene ID	4281	
Gene Symbol	MID1	
Species	Human	
Immunogen	The immunogen recognized by this antibody maps to a region between residue 617 and 667 of human midline 1 using the numbering given in entry NP_000372.1 (GeneID 4281).	
Product Application Details		
Applications	Western Blot, Immunoprecipitation (Negative)	
Recommended Dilutions	Western Blot 1:2000-1:10000, Immunoprecipitation (Negative)	
Application Notes	Not recommended for immunoprecipitation. Western blot of lysates performed	

using standard western blot reagents and 4-8% SDS-PAGE.

Images

Western Blot: MID1 Antibody [NBP1-26612] - Whole cell lysate from HeLa (5, 15 and 50 ug) and 293T (T; 50 ug) cells. Antibody used at 1 ug/ml.

www.novusbio.com

	Manager and Party of Street, or other	-	÷
kDa 460-	in the		
268_ 238 ⁻			
171-			
117-	Frank Frank I.		
71-		1	←MID1
55-			
41- 31-		•	
	50 15	5 50	1
	HeLa	T	

Publications

Frank S, Gabassi E, Käseberg S et Al. Absence of the RING domain in MID1 results in patterning defects in the developing human brain Life Sci Alliance 2024-01-18 [PMID: 38238086]

Jongsma MLM, Bakker N, Voortman LM et al. Systems mapping of bidirectional endosomal transport through the crowded cell Current Biology 2024-10-07 [PMID: 39276769]

Bell JL, Malyukova A, Holien JK et al. TRIM16 acts as an E3 ubiquitin ligase and can heterodimerize with other TRIM family members. PLoS One 2012-01-01 [PMID: 22629402]



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP1-26612

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
DVE00	VEGF [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-26612

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

