Product Datasheet

DOCK4 Antibody NBP1-26648

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP1-26648

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP1-26648



NBP1-26648


DOCK4 Antibody

| DOCK4 Antibody | |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Information | |
| Unit Size | 0.1 ml |
| Concentration | 0.2 mg/ml |
| Storage | Store at 4C. Do not freeze. |
| Clonality | Polyclonal |
| Preservative | 0.09% Sodium Azide |
| Isotype | IgG |
| Purity | Immunogen affinity purified |
| Buffer | TBS and 0.1% BSA |
| Product Description | |
| Host | Rabbit |
| Gene ID | 9732 |
| Gene Symbol | DOCK4 |
| Species | Human |
| Immunogen | The immunogen recognized by this antibody maps to a region between residue 1725 and 1775 of human dedicator of cytokinesis 4 using the numbering given in entry NP_055520.3 (GenelD 9732). |
| Product Application Details | |
| Applications | Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation |
| Recommended Dilutions | Western Blot 1:2000-1:10000, Immunohistochemistry 1:100 - 1:500, Immunoprecipitation 3-5 ug/mg lysate, Immunohistochemistry-Paraffin 1:100 - 1:500 |
| Application Notes | Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections. |




Images

Western Blot: DOCK4 Antibody [NBP1-26648] - Whole cell lysate from HeLa and 293T cells. DOCK4 was also immunoprecipitated by rabbit anti-DOCK4 antibody NBP1-26649.



Immunohistochemistry-Paraffin: DOCK4 Antibody [NBP1-26648] - Human ovarian carcinoma. Antibody used at a dilution of 1:200 (1ug/ml).



Publications

Aladowicz E, Granieri L, Marocchi F et al. ShcD Binds DOCK4, Promotes Ameboid Motility and Metastasis Dissemination, Predicting Poor Prognosis in Melanoma Cancers (Basel) 2020-11-13 [PMID: 33202906] (IF/IHC, IP)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP1-26648

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-57555PEP DOCK4 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-26648

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

