

Product Datasheet

CD38 Antibody (NIMR-5) - Azide and BSA Free NBP1-27951

Unit Size: 0.5 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-27951

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-27951



NBP1-27951

CD38 Antibody (NIMR-5) - Azide and BSA Free

Product Information	
Unit Size	0.5 mg
Concentration	0.5 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	NIMR-5
Preservative	No Preservative
Isotype	IgG2a Kappa
Purity	Protein A or G purified
Buffer	BBS (pH 8.2)


Product Description	
Host	Rat
Gene ID	952
Gene Symbol	CD38
Species	Mouse
Specificity/Sensitivity	Mouse CD38
Immunogen	This CD38 Antibody (NIMR-5) was developed against BCL1 plasma membrane glycoproteins.

Product Application Details	
Applications	Flow Cytometry
Recommended Dilutions	Flow Cytometry 1:10 - 1:1000




Images


Flow Cytometry: CD38 Antibody (NIMR-5) [NBP1-27951] - Analysis using the APC conjugate of NBP1-27951. Multiple staining of BALB/c splenocytes.



Flow Cytometry: CD38 Antibody (NIMR-5) [NBP1-27951] - BALB/c mouse splenocytes were stained with Rat Anti-Mouse CD38-BIOT (NBP1-27953) and Rat Anti-Mouse CD45R-PE (NBP1-27981) followed by Streptavidin-FITC.



Flow Cytometry: CD38 Antibody (NIMR-5) [NBP1-27951] - Analysis using the PE conjugate of NBP1-27951. Double staining of $0.3 \mu\text{g}/10^6$ cells from BALB/c spleen with rat anti-mouse CD38-R-PE and rat anti-mouse CD19-FITC (Clone 6D5).



Publications

Wennerberg E, Mukherjee S, Spada S Et al. Expression of the mono-ADP-ribosyltransferase ART1 by tumor cells mediates immune resistance in non-small cell lung cancer Sci Transl Med 2022-03-16 [PMID: 35294260] (B/N)

Details:

Citation using the Low Endotoxin, Azide and BSA Free version of this antibody.

Chini CCS, Peclat TR, Warner GM et al. CD38 ecto-enzyme in immune cells is induced during aging and regulates NAD⁺ and NMN levels Nat Metab 2020-11-01 [PMID: 33199925]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-27951

HAF005	Goat anti-Rat IgG Secondary Antibody [HRP]
NBP1-75398	Goat anti-Rat IgG (H+L) Secondary Antibody (Pre-adsorbed)
NBP1-43321-0.5mg	Rat IgG2a Kappa Light Chain Isotype Control (R2a)
NBP1-27952	CD38 Antibody (NIMR-5) [FITC]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-27951

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

