

Product Datasheet

LASS1 Antibody NBP1-28480

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-28480

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-28480



NBP1-28480**LASS1 Antibody**


Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Target Molecular Weight	40 kDa

Product Description	
Description	Novus Biologicals Goat LASS1 Antibody (NBP1-28480) is a polyclonal antibody validated for use in WB and ELISA. Anti-LASS1 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	10715
Gene Symbol	CERS1
Species	Human
Specificity/Sensitivity	This antibody is expected to recognize both reported isoforms (NP_067090.1 and NP_937850.1).
Immunogen	Peptide with sequence C-KDLREYDTAEAQ corresponding to internal region according to NP_937850.1.

Product Application Details	
Applications	Western Blot, Peptide ELISA
Recommended Dilutions	Western Blot 1 - 3 ug/mL, Peptide ELISA Detection limit 1:64000
Application Notes	WB: Approx. 37 kDa band observed in human brain (cerebellum, cerebral cortex and frontal cortex) lysates (calculated MW of 38.0 kDa band according to NP_937850.1). An additional band of unknown identity was also consistently observed at 85 kDa. This band was successfully blocked by incubation with the immunizing peptide.

Images

Western Blot: LASS1 Antibody [NBP1-28480] - Staining of Frontal Cortex lysate (35 ug protein in RIPA buffer). Antibody at 1 ug/mL. Detected by chemiluminescence.



Publications

Kim JE, Kwon EY, Han Y Allulose Attenuated Age-Associated Sarcopenia via Regulating IGF-1 and Myostatin in Aged Mice Molecular nutrition & food research 2021-10-28 [PMID: 34710274] (WB, Mouse)

Venkataraman K, Riebeling C, Bodennec J et al. Upstream of growth and differentiation factor 1 (uog1), a mammalian homolog of the yeast longevity assurance gene 1 (LAG1), regulates N-stearoyl-sphinganine (C18-(dihydro)ceramide) synthesis in a fumonisin B1-independent manner in mammalian cells. J Biol Chem 2002-09-20 [PMID: 12105227]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-28480

HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control
H00010715-Q01-10ug	Recombinant Human LASS1 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-28480

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



