

Product Datasheet

Cytokeratin 19 Antibody (SB39g) - Azide and BSA Free NBP1-28570

Unit Size: 0.05 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Reviews: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-28570

Updated 2/21/2025 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-28570



NBP1-28570


Cytokeratin 19 Antibody (SB39g) - Azide and BSA Free

Product Information	
Unit Size	0.05 mg
Concentration	0.1 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	SB39g
Preservative	No Preservative
Isotype	IgG2a Kappa
Purity	Protein A or G purified
Buffer	0.1M BBS (pH 8.2)
Product Description	
Host	Mouse
Gene ID	3880
Gene Symbol	KRT19
Species	Human, Mouse
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Mouse-On-Mouse blocking reagent may be needed for IHC and ICC experiments to reduce high background signal. You can find these reagents under catalog numbers PK-2200-NB and MP-2400-NB. Please contact Technical Support if you have any questions.
Marker	Epithelial Cell Marker
Specificity/Sensitivity	Keratin 19
Immunogen	Recombinant C-terminal keratin 19
Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:2000-1:4000, ELISA 1:100-1:2000, Immunocytochemistry/ Immunofluorescence 1:10-1:500, Immunohistochemistry-Paraffin




Images

Immunocytochemistry/Immunofluorescence: Cytokeratin 19 Antibody (SB39g) [NBP1-28570] - Cell cytospin of the HCC38 pancreatic carcinoma cell line was incubated with purified SB39g anti-keratin monoclonal antibody. After washing, a 10ug/mL dilution of goat anti-mouse Ig-FITC was used for immunofluorescence staining. Positive cells were viewed by fluorescence microscopy.



Immunohistochemistry-Paraffin: Cytokeratin 19 Antibody (SB39g) [NBP1-28570] - Human gastric cancer tissue was stained with Mouse IgG2a-HRP isotype control (left) and Mouse Anti-Cytokeratin 19-HRP (right) followed by DAB and hematoxylin.



Procedures

Western Blot protocol for Cytokeratin 19 Antibody (NBP1-28570)

NBP1-28570 Western blot Protocol (NBP1-28570):

Run protein on a 14% gel, using HCC38 & HT-29 cell lysate at 20 ug/well. (No sonication). Dilute NBP1-28570 to 2 ug/mL in 5% milk/TBST. 6mL/strip, incubated at RT on shaker for 1 hour. Dilute anti-mouse secondary antibody at 1:4K in 5% milk/TBST, 6mL/strip, incubate at RT on shaker for 1 hour.



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA

Phone: 303.730.1950

Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada

Phone: 905.827.6400

Toll Free: 855.668.8722

Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15

Fax: (44) (0) 1235 533420

info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Error: Subreport could not be shown.

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-28570

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

