

Product Datasheet

WDR5 Antibody - BSA Free

NBP1-30063

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP1-30063

Updated 2/21/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP1-30063



NBP1-30063

WDR5 Antibody - BSA Free

Product Information	
Unit Size	100 ul
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)


Product Description	
Host	Rabbit
Gene ID	11091
Gene Symbol	WDR5
Species	Human
Immunogen	maps to a region between residue 1 and 50 of human WD repeat domain 5 using the numbering given in entry NP_060058.1

Product Application Details	
Applications	Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation, Western Blot (Negative)
Recommended Dilutions	Immunohistochemistry 1:500 - 1:2000, Immunoprecipitation 2 - 10 ug/mg lysate, Immunohistochemistry-Paraffin 1:500 - 1:2000, Western Blot (Negative)
Application Notes	Epitope retrieval with Tris-EDTA pH 9.0 is recommended for FFPE tissue sections. Western Blot Not recommended.




Images

Immunohistochemistry-Paraffin: WDR5 Antibody [NBP1-30063] -
 Sample: FFPE section of human ovarian carcinoma. Antibody: Affinity
 purified rabbit anti-fs18 WDR5 fs20 used at a dilution of 1:1,000 (1ug/ml).
 Detection: DAB



Immunoprecipitation: WDR5 Antibody [NBP1-30063] - Detection of
 human WDR5 by western blot of immunoprecipitates. Samples: Whole
 cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from HeLa
 cells. Antibodies: Affinity purified rabbit anti-WDR5 antibody A302-429A
 (lot A302-429A-2) used for IP at 6 ug per reaction. WDR5 was also
 immunoprecipitated by rabbit anti-WDR5 antibody A302-430A. For
 blotting immunoprecipitated WDR5, A302-430A was used at 1 ug/ml.
 Detection: Chemiluminescence with an exposure time of 3 minutes.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP1-30063

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP1-50848-0.1mg	Recombinant Human WDR5 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP1-30063

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

